

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality,

hereby attests that the product(s)

FACTORY-MADE RIGID POLYURETHANE FOAM

(Details as per the attached Scope of Certification)

manufactured by:


EMIRATES INDUSTRIAL PANEL LLC

P.O. Box 115408 Dubai Investment Park, Dubai, U.A.E.

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

BS EN 13165:2012

Accordingly, DCLD hereby authorizes the above manufacturer to affix the DCL Product Conformity Mark to the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN

Director, Dubai Central Laboratory Department

Dubai Municipality

Verify:



Certificate No: CL09020104

Valid Until: 20 July 2019



Current Issue Date: 21 July 2018

Original Issue Date: 21 July 2009

DM-DCLD-F-IC-2031 REV 13

The attached Scope of Certification bearing the same Certificate No. forms an integral part of this Certificate.

This Certificate is an electronic document, subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.



DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION – REVISION 02
FOR CERTIFICATE NO. CL09020104

Certificate Issued To:	Emirates Industrial Panel LLC P.O. Box 115408, Dubai Investment Park, Dubai UAE
Applicable Standard Specification:	BS EN 13165:2012 –Thermal insulation products for buildings – Factory made rigid polyurethane (PU) foam products – Specification
Applicable Specific Rules:	RD-DP21-2124 (IC) “Specific Rules for Certification of Factory Made Rigid Polyurethane (PU) Foam Thermal Insulation Products (as per BS EN 13165:2012) Through Factory Assessment”.

S/N	Product Description	Brand Name	Product Details
1	Factory Made Rigid Polyisocyanurate (PIR) foam CFC FREE <i>(See Note 5)</i>	EIP B. HIGH PIR EIP D. HIGH PIR EIP HIGH PIR	PIR Insulation foam Thickness= Class T2; Length= > 3000 ±10 mm & ≤ 3000 ±5 mm; Width = 600 to 1140 mm w/ ± 3 mm; Apparent Density = 40 ± 3 kg/m ³ ; Thermal conductivity = Initial value 0.024 (max) and Aged value 0.025W/(m*K) (See Note 1) PIR-EN 13165-T2-DS(TH)3-CS(10/Y)100 MU10 -190 Manufactured as sandwich panels thermal insulation, with hot dipped galvanized, zinc coated steel as inner and outer skin facing. Fire Safety Requirements Tests complies with the UAE Fire Life and Safety Code of Practice as follows; (See Note 6) Table 1.17c - Under Test 1 : Sandwich Panel as a product in various applications as follows:

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION – REVISION 02
FOR CERTIFICATE NO. CL09020104

			<p>a. Internal Non-Fire Resistance Rated Walls and Partitions</p> <p>b. Roofing Sprinklered Buildings</p> <p>e. Roofing Non-Sprinklered Buildings</p>
--	--	--	---

Note 1: Maximum k-value measured at 35°C temperature and 60% relative humidity condition

Note 2: This certification covers only the PIR foam within the panel

Note 3: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

Note 4: The above product shall bear the DCL Conformity Mark applied on each individual product

Note 5: In compliance with 2017 Al Sa'fat Dubai Green Building Evaluation System

Note 6: Certificate of Compliance has been issued by Thomas Bell Wright in accordance with the Dubai Civil Defense requirements as per UAE Fire and Life Safety Code of Practice

Note 7: This supersedes the Scope of Certification Rev 01 issued on 06 November 2018.

Original Issue Date : 21 July 2009

Current Issue Date : 02 January 2019

Valid Until : 20 July 2019



ARIF HUSAIN AL MARZOOQI

Products Conformity Assessment Section Manager

Dubai Central Laboratory Department