

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

PUR/PIR Thermal Insulation

(Details as per the attached Scope of Certification)

manufactured by:

BUILDING COMPONENT SOLUTIONS LLC

Al Hassa Street Site 4, 2nd Industrial City, Dammam, KSA

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

BS EN 13165: 2012

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN
Director, Dubai Central Laboratory Department
Dubai Municipality



Certificate No: CL14020215
Valid Until: 29/06/2019



Current Issue Date: 30/06/2018
Original Issue Date: 30/06/2014

The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

**DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION Rev 01
FOR CERTIFICATE NO. CL14020215**

Certificate Issued To: BUILDING COMPONENT SOLUTIONS LLC
Al Hassa Street, Site 4, 2nd Industrial City, Dammam,
KSA

Applicable Standard Specification: BS EN 13165:2012 –Thermal insulation products for
buildings – Factory made rigid polyurethane foam (PU)
products - Specification

Applicable Specific Rules: RD-DP21-2124 (IC) “Specific Rules for Certification of
Factory Made Rigid Polyurethane BS EN 13165:2012)
Through Factory Assessment”.

S/N	Product Description	Brand Name	Product Details
1	Factory made rigid Polyisocyanurate (PIR) foam for Sandwich Panel CFC Free <i>(see Note 4)</i>	BCOMS	Polyisocyanurate (PIR) Thermal Insulation Foam Nominal Thickness (min) – 30 ~ 150 mm; Length (min) – 1000 mm; Width (min) – 1000 mm; Apparent Density 40 ± 3 kg/m ³ , Thermal conductivity (max) initial value - 0.022 W/(m*K); Age value - 0.025 W/(m*K) @ 35C and 60% RH Code: PIR - EN 13165 – T2 - DS(TH)3 - CS(10/Y)100 – MU70 Manufactured with flat or corrugated Steel and/or Aluminum on both or either sides and Fibre Reinforced Line (FRL) options for inner skin.



DUBAI CENTRAL LABORATORY DEPARTMENT DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION Rev 01 FOR CERTIFICATE NO. CL14020215

NOTE 1: The above products shall bear the DCL Conformity Mark applied on each individual product.

NOTE 2: This certification covers only the PIR foam within the panel

NOTE 3: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

NOTE 4: CFC Free as per declaration from the company, in accordance with the 2017 Al Sa'fat Dubai Green Building Evaluation System

NOTE 5: The revision was made due to the separation of Fire Safety requirements from Al Sa'fat Certification requirements

NOTE 6: This supersedes the scope of certification issued on 30 June 2018

Original Issue Date : 30 June 2014

Current Issue Date : 24 March 2019

Valid Until : 29 June 2019

ARIF HUSAIN AL MARZOOQI
Products Conformity Assessment Section Manager
Dubai Central Laboratory Department