

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

Concrete Paving Blocks

(Details as per the attached Scope of Certification)

manufactured by:

M/S TRANS GULF CEMENT PRODUCTS LLC
Jebel Ali industrial Area No. 1, Dubai, UAE

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

DMS 1 Part 4: 2016

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN
Director, Dubai Central Laboratory Department
Dubai Municipality



Certificate No: CL15020260
Valid Until: 19/09/2019



Current Issue Date: 20/09/2018
Original Issue Date: 20/09/2015

The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

DUBAI CENTRAL LABORATORY DEPARTMENT DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION FOR CERTIFICATE NO. CL15020260

Certificate Issued To: M/S TRANSGULF CEMENT PRODUCTS LLC
P.O. Box 25595, Jebel Ali Industrial Area 1,
Dubai, UAE

Applicable Standard Specification: DMS 1: Part 4: 2016 – Specification for Precast Concrete Blocks Part 4: Paving Blocks

Applicable Specific Rules: RD- DP21-2172 (IC) “Specific Rules for Certification of Precast Concrete Paving Blocks (as per DMS 1: Part 4:2016) Through Factory Assessment”.

S/N	Product Description	Brand Name	Product Details
1	Precast Concrete Paving Blocks	TRANSGULF Paving	<p>Rectangular: 200 x 100 x 60 mm; 200 x 100 x 80 mm;</p> <p>Non Rectangular UniShape (60 mm / 80 mm /100 mm)</p> <p>Square Blocks 100 x 100 x 100 mm; 150 x 150 x 60 mm; 150 x 150 x 80 mm; 200 x 200 x 60 mm; 200 x 200 x 80 mm; 300 x 300 x 60 mm; 300 x 300 x 80 mm</p> <p>Uni Starter (60 mm / 80 mm)</p> <p>Antique (60 mm / 80 mm)</p> <p>Viva Classico (80 mm)</p> <p>Amwaj Waves Starter (60 mm)</p> <p>Casetta (60 mm / 80 mm)</p> <p>Behaton (60 mm / 80 mm)</p> <p>Aura (60 mm / 80 mm)</p> <p>Triangular Starter (60 mm / 80 mm)</p> <p>Rectangular Starter (60 mm)</p> <p>La Lenia: (60 mm / 80 mm) 300 x 100 mm; 300 x 150 mm; 300 x 200 mm; 400 x 200 mm</p>



DUBAI CENTRAL LABORATORY DEPARTMENT DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION FOR CERTIFICATE NO. CL15020260

			Veneto	(60 mm/ 80 mm) 140 mm x 140 mm 210 mm x 140 mm
			Honey Comb	(80 mm)
			Rusto	(80 mm)
			Flair Paving	(80 mm)
			La Rambia	(60 mm)
			Sienna	(60 mm / 80 mm) 120 mm x 80 mm; 120 mm x 120 mm 240 mm x 120 mm; 120 mm x 160 mm 160 mm x 160 mm; 240 mm x 160 mm 240/160/120 mm x 160 mm 240 mm x 240 mm; 320 x 240 mm
			Cube	(60 mm / 80 mm)
			Octagon	(60 mm / 80 mm)
			Quadro-I	(60 mm / 80 mm)
			La Plaza	(60 mm / 80 mm)
			Ladana Bishop	(60 mm)
			Venus	(60 mm / 80 mm)
			Amwaj Waves	(60 mm / 80 mm)
			Monaco	(80 mm)

Solar Reflective Index (SRI) by Color:

RED – HS-SRI Class 1* (meets requirements of Al Sa'fat**)
 BEIGE – HS-SRI Class 1* (meets requirements of Al Sa'fat**)
 WHITE – HS-SRI Class 1* (meets requirements of Al Sa'fat**)
 YELLOW – HS-SRI Class 1* (meets requirements of Al Sa'fat**)
 TAN – HS-SRI Class 1* (meets requirements of Al Sa'fat**)
 GREY – HS-SRI Class 1* (meets requirements of Al Sa'fat**)

Other colors – HS-SRI Class 2

* SRI Classification:

Hardscapes SRI Class 1 (≥ 29) – “Can be Used in 50 - 100% of surface”

Hardscapes SRI Class 2 (<29 or untested) - “Can be Used 0-50% of surface provided the remaining area is Class 1”

** 2017 Al Sa'fat – Dubai Green Building Evaluation System

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL15020260

- NOTE 1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.*
- NOTE 2: The above product shall bear the DCL Conformity Mark (applied on tag/label of every bundle).*
- NOTE 3: The above sizes are declared Nominal sizes (mm).*
- NOTE4: For colors not covered by the Scope, SRI shall be tested and classified based on the use of the product in the construction site to ensure that it meets the requirements of 2017 Al Sa'fat.*

Original Issue Date : 20 September 2015
Current Issue Date : 20 September 2018
Valid Until : 19 September 2019



ARIF HUSAIN AL MARZOOQI
Products Conformity Assessment Section Manager
Dubai Central Laboratory Department