

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality,

hereby attests that the product(s)

IN-SITU FORMED SPRAYED POLYURETHANE (PUR) FOAM PRODUCTS

*(Details as per the attached Scope of Certification)
manufactured by:*


GALAXY HOME INSULATION CONT. LLC

P.O. BOX 113678, Ras Al Khor Road (E 44 Road) Dubai, UAE

have been assessed in accordance with DCLD Document Ref. No. RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

BS EN 14315-1: 2013

*Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark to the above-mentioned product(s).*



for / **ENGR. AMIN AHMED AMIN**

Director, Dubai Central Laboratory Department

Dubai Municipality

Verify:



Certificate No: CL17020427

Valid Until: 18 February 2019



Current Issue Date: 19 February 2018

Original Issue Date: 19 February 2017

The attached Scope of Certification bearing the same Certificate No. forms an integral part of this Certificate.

This Certificate is an electronic document, subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL17020427

- Certificate Issued To** : **GALAXY HOME INSULATION CONT. LLC**
P.O. Box 113678, Ras Al Khor Road (E 44 Road)
Dubai, UAE
- Applicable Standard Specification** : **EN 14315-1:2013** – Thermal insulating products for buildings
– In situ formed sprayed polyurethane (PUR) and Polyisocyanurate (PIR) foam products
- Applicable Specific Rules** : **RD-DP21-2187 (IC)** “Specific Rules for Certification of In Situ Formed Sprayed Polyurethane and Polyisocyanurate Foam Products (as per BS EN14315-1:2013) Through Factory Assessment”.

S/N	PRODUCT DESCRIPTION	BRAND NAME	PRODUCT DETAILS
1	In-Situ Formed Sprayed Polyurethane (PUR) Foam Products CFC Free **	GALAXY HOME COMBO ROOFING SYSTEM	In Situ Formed Sprayed PUR Insulation Foam Core Core Density = 35 kg/m ³ (min) Thickness = 40 to 150 mm *Thermal Cond. (max) value : 0.025 W/(m*K) @ 35 °C & 60% RH Minimum Compressive strength of 100 KPa Dimensional Stability DS(TH)2 Min. Water Vapor transmission factor, MU = 25 Product Code: PU EN 14315-1 - DS(TH)2-CS(10/Y)100-MU25

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL17020427

NOTE 1: This document forms part of the Certificate of Product Conformity bearing the same Certificate Number.

NOTE 2: * Maximum k-value measured at 35°C temperature and 60% relative humidity Condition.

NOTE 3: ** CFC Free as per declaration from the company, in compliance with Clause 701.01 (1) of the Green Building Regulations & Specifications.

NOTE 4: Applicable only to In Situ Formed Sprayed PUR Insulation Foam used as part of combo-roofing system where in the insulation material layer is fully covered by concrete layer. Accordingly there is no requirement for testing the fire safety requirements as per clause [6.3.8] of the UAE Fire and Life Safety Code of Practice 2016.

Original Issue Date : 19 February 2017
Current Issue Date : 19 February 2018
Valid Until : 18 February 2019

ARIF HUSAIN AL MARZOOQI

Head of Products Conformity Assessment Section
Dubai Central Laboratory Department