

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality,

hereby attests that the product(s)

LOW EMITTING MATERIALS (PAINTS)

(Details as per the attached Scope of Certification)

manufactured by:


CAPAROL PAINTS LLC

P.O. Box: 62182, Saih Shuaib-4 Dubai Industrial City, Dubai, U.A.E.

have been assessed in accordance with DCLD Document Ref. No. RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

2017 Al Sa'fat – Dubai Green Building Evaluation System

Accordingly, DCLD hereby authorizes the above manufacturer to affix the DCL Product Conformity Mark to the above-mentioned product(s).



for / **ENGR. AMIN AHMED AMIN**

Director, Dubai Central Laboratory Department

Dubai Municipality

Verify:



Certificate No: CL17020465

Valid Until: 06 June 2019



Current Issue Date: 07 June 2018

Original Issue Date: 07 June 2017

F-IC-2031 REV 12

The attached Scope of Certification bearing the same Certificate No. forms an integral part of this Certificate.

This Certificate is an electronic document, subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL17020465**

Certificate Issued To	CAPAROL PAINTS LLC P.O. Box: 62182, Saih Shuaib-4 Dubai Industrial City, Dubai, UAE
Applicable Standard Specification:	2017 Al Sa'fat - Dubai Green Building Evaluation System
Applicable Specific Rules:	DM-DCLD-RD-DP21-2180 (IC) Specific Rules for FA Certification of Low Emitting Materials as per Al Sa'fat - Dubai Green Building Evaluation System

S/N	Product Description	Brand Name	Product Details
1	Interior Matt Walls and Ceilings Paint (Gloss < 25 @ 60°) (sub category 1)	AirPurify	Water Base Paint for Interior Application Only: VOC (GBRS limit is max.30 g/l) Heavy metals: Cadmium and Chromium VI (GBRS limit < 500 mg/Kg), Arsenic, Mercury and Lead (GBRS limit <100 mg/Kg) Formaldehyde ≤ 10 mg/kg
		CapaCare	
		CapaMat	
		CapaPlus	
		CleanStar	
		CapaFlat	
2	Interior glossy walls and ceilings paints (Gloss > 25 @60°) (sub category 2)	CleanStar	Water Base Paint for Interior Application Only: VOC (GBRS limit is max.100 g/l) Heavy metals: Cadmium and Chromium VI (GBRS limit < 500 mg/Kg), Arsenic, Mercury and Lead (GBRS limit <100 mg/Kg) Formaldehyde ≤ 10 mg/kg
		Amphibolin	

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL17020465

3	Primers (sub category 7)	CapaPutz Primer	Water based Primer for Interior/Exterior Applications: VOC (GBRS limit is max.30 g/l) Heavy metals: Cadmium and Chromium VI (GBRS limit < 500 mg/Kg), Arsenic, Mercury and Lead (GBRS limit <100 mg/Kg) Formaldehyde ≤ 10 mg/kg
		CapaStucco	
		FlexoPrime	
		StonePrime	
		CapaAcryl Primer	
		CapaFilex	
		CapaPrime	
4	Decorative Effects Coatings (sub category 12)	Metallocryl Interior	Water Base Paint for Interior Application Only: VOC (GBRS limit is max 200 g/l) Heavy metals: Cadmium and Chromium VI (GBRS limit < 500 mg/Kg), Arsenic, Mercury and Lead (GBRS limit <100 mg/Kg) Formaldehyde ≤ 10 mg/kg
		Makhmalia	
5	Exterior Walls of Mineral Substrate (sub category 3)	FlexoTop	Water Base Paint for Exterior Application: VOC (GBRS limit is max 40 g/l) Heavy metals: Cadmium and Chromium VI (GBRS limit < 500 mg/Kg), Arsenic, Mercury and Lead (GBRS limit <100 mg/Kg) Formaldehyde ≤ 10 mg/kg LRV Class: Class 1 (see Note 3)
		Amphibolin	
		CapaUltra Matt	
		CleanStar	
		CapaShield	
		CapaTex (Textured coatings)	
		TopTex (Textured coatings)	
		CapaGrain (Textured coatings)	
		CapaStructure (Textured coatings)	
		FlexoGuard	
		StructurePutz (Textured coatings)	
		FlexoShield	
		CapaSpreytex (Textured coatings)	
FlexoPutz			
Flexotex			

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL17020465**

		CapaStone NanoClear Ceratile Ceratone Granito Eurostone CapaStone Basecoat Decocoat	
6	One -pack Performance Coatings (sub category 9)	Capalac Enamel CapaTopacryl CapaMark	Solvent Base Coating for Interior/Exterior Applications: VOC (GBRS limit is max 500 g/l) LRV Class: Class 2 (see Note 3) (Average LRV Class 2 < 45) LRV Class: Class 1 (see Note 3) (Average LRV Class 1 ≥ 45)
7	Two -pack Reactive Performance Coatings for specific end use such as floors (sub category 10)	CapaEpoTop CapaEpoTex CapaThane CapaEpo HB undercoat DisboPOX 110 SB DisboPOX 210 SF DisboPOX 230 SF DisboPUR 630 PU	Solvent Base/Solvent Free Coating for Exterior/Interior Application: VOC (GBRS limit is max 500 g/l) LRV Class: Class 1 (see Note 3) (Average LRV Class 1 ≥ 45)
8	Binding Primers (sub category 8)	Capalac red oxide primer Capalac Metal primer CapaLac Primer / Wood Primer / Undercoat Capaseal SB Disboxan 485	Solvent Base Primer for Interior/Exterior Applications: VOC (GBRS limit is max 750 g/l)

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL17020465**

NOTE 1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

NOTE 2: The above product shall bear the DCL Conformity Mark.

NOTE 3: For colors/types not covered by the Scope, LRV shall be tested and classified based on the application of the product in the construction site to ensure that it meets the requirements of the DM- Al Sa'fat.
LRV Class 1 (≥ 45) – "Can be used in 75-100% of surface to be /painted/coated"
LRV Class 2 (< 45 or untested) – "Can be used in 0-25% of surface to be painted/coated provided the remaining area is Class 1".

Original Issue Date : 07 June 2017

Current Issue Date : 07 June 2018

Valid Until : 06 June 2019



ARIF HUSAIN AL MARZOOQI

Head of Products Conformity Assessment Section

Dubai Central Laboratory Department