

# CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality  
hereby attests that the product(s)

## Low Emitting Materials (Paints, Coatings, Adhesives, Sealants)

(Details as per the attached Scope of Certification)

manufactured by:


**TECHNICOAT INTERNATIONAL FACTORY**

**JABEL ALI IND AREA 1 , DUBAI**

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

## 2017 AL SA'FAT GREEN BUILDING EVALUATION SYSTEM

Accordingly, DCLD hereby authorizes the above manufacturer  
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN  
Director, Dubai Central Laboratory Department  
Dubai Municipality



Certificate No: CL17020478  
Valid Until: 17/07/2019



Current Issue Date: 18/07/2018  
Original Issue Date: 18/07/2017

The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.  
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

**DUBAI CENTRAL LABORATORY DEPARTMENT  
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION  
FOR CERTIFICATE NO. CL17020478**

<b>Certificate Issued To</b>	<b>TECHNICOAT INTERNATIONAL FACTORY</b> JABEL ALI IND AREA 1, P.O. BOX 30303, DUBAI, UAE
<b>Applicable Standard Specification:</b>	2017 Al Sa'fat - Dubai Green Building Evaluation System
<b>Applicable Specific Rules:</b>	RD-DP21-2180-(IC) Specific Rules for Certification of Paints and Coating through Factory Assessment as per the 2017 Al Sa'fat - Dubai Green Building Evaluation System

S/N	PRODUCT DESCRIPTION PRODUCT SUBCATEGORY	BRAND NAME	PRODUCT DETAILS
1	Coatings (5 as per Table 1 ) Two pack reactive performance coatings for specific end use such as floors	<b>P600</b>	<b>Solvent Base Polyurethane Elastomeric Coating</b>  VOC I (Al Sa'fat-DGBES limit IS max. 500 g/l)
2	Coatings (5 as per Table 1 ) Two pack reactive performance coatings for specific end use such as floors	<b>ROOFLEX SUPER</b>	<b>Solvent Base Polyurethane Elastomeric Coating</b>  VOC I (Al Sa'fat-DGBES limit is max. 500 g/l)
3	Coatings (5 as per Table 1 ) Two pack reactive performance coatings for specific end use such as floors	<b>P500</b>	<b>Solvent Base High build Epoxy Coating</b>  VOC I (Al Sa'fat-DGBES limit is Max . 500 g/l)
4	Coatings (5 as per Table 1 ) Two pack reactive performance coatings for specific end use such as floors	<b>TECHNORESIN</b>	<b>Solvent Base Self-leveling Epoxy Coating</b>  VOC I (Al Sa'fat-DGBES limit is max. 500 g/l)

**DUBAI CENTRAL LABORATORY DEPARTMENT  
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION  
FOR CERTIFICATE NO. CL17020478**

5	Coatings (5 as per Table 1 ) Two pack reactive performance coatings for specific end use such as floors	<b>TG113 C</b>	<b>Solvent Base Self Epoxy Coating</b> VOC I (Al Sa'fat-DGBES limit is max. 500 g/l)
6	Coatings (5 as per Table 1 ) Two pack reactive performance coatings for specific end use such as floors	<b>SL 501</b>	<b>Solvent Base Self leveling Epoxy Screed Coating</b> VOC I (Al Sa'fat-DGBES limit is max. 500 g/l)
7	Coatings (5 as per Table 1 ) Two pack reactive performance coatings for specific end use such as floors	<b>V11S</b>	<b>Water Base Acrylic Coating</b> VOC I (GBRS limit is max. 140 g/l)
8	Coatings (5 as per Table 1 ) One pack performance coatings for specific end use such as floors	<b>ROFFLEX PW700</b>	<b>Solvent Base Polyurethane Elastomeric Coating</b> VOC I (Al Sa'fat-DGBES limit is max. 500 g/l)
9	Coatings (5 as per Table 1 ) One pack performance coatings for specific end use such as floors	<b>WETFLEX</b>	<b>Solvent Base Single component polyurethane</b> VOC I (Al Sa'fat-DGBES limit is max. 500 g/l)
10	Coatings (5 as per Table 1 ) One pack performance coatings for specific end use such as floors	<b>W2</b>	<b>Solvent Base Polyurethane Elastomeric Coating</b> VOC I (Al Sa'fat-DGBES limit is max. 500 g/l)

**DUBAI CENTRAL LABORATORY DEPARTMENT  
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION  
FOR CERTIFICATE NO. CL17020478**

11	Coatings (5 as per Table 1 ) One pack performance coatings for specific end use such as floors	<b>SL 502</b>	<b>Water Base Polymer Coating</b>  VOC I (Al Sa'fat-DGBES limit is max. 140g/l)
12	Coatings (5 as per Table 1 ) One pack performance coatings for specific end use such as floors	<b>SILIFEX</b>	<b>Solvent Base Siloxane Coating</b>  VOC I (Al Sa'fat-DGBES limit is max. 500 g/l)
13	Coatings (5 as per Table 1 ) One pack performance coatings for specific end use such as floors	<b>P601</b>	<b>Solvent Base Polyurethane Elastomeric Coating</b>  VOC I (Al Sa'fat-DGBES limit is max. 500 g/l)
14	Coatings (5 as per Table 1 ) Primers	<b>W1</b>	<b>Solvent Base Polyurethane Prime Coating</b>  VOC I (Al Sa'fat-DGBES limit is max. 350 g/l)
15	Coatings (5 as per Table 1 ) Primers	<b>EPOXY PRIMER</b>	<b>Solvent Base Epoxy Prime Coating</b>  VOC I (Al Sa'fat-DGBES limit is max. 350 g/l)
16	Roof Paint/ Roof Coating One pack performance coatings	<b>TECHNOTEX (White)</b>	<b>Water Base Acrylic coating</b>  VOC I (Al Sa'fat-DGBES limit is max. 140 g/l)  (See Note 3 For SRI Classification & Details)

**DUBAI CENTRAL LABORATORY DEPARTMENT  
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION  
FOR CERTIFICATE NO. CL17020478**

17	Roof Paint/ Roof Coating One pack performance coatings	<b>ROOFTEK (White)</b>	<b>Water Base Acrylic Elastomeric roof coating</b>  <b>VOC I (Al Sa'fat-DGBES limit is max. 140 g/l)</b>  (See Note 3 For SRI Classification & Details)
----	---	----------------------------	--

NOTE 1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

NOTE2: The above product shall bear the DCL Conformity Mark.

NOTE 3: For colors/Types not covered by the Scope, SRI and LRV shall be tested and classified based on the application of the product in the construction site to ensure that it meets the requirements of the DM-AL SA'FAT-DGBES .

SRI Class 1 (> 78) – “Can be Used in 75 - 100% of surface to be coated – Sloped or Flat Roof”

SRI Class 2 (29<78) - “Can be Used in 75 - 100% of surface to be coated – Sloped Roof”

SRI Class 3 (< 29 or untested) – “Can be Used in 0 – 25% of surface to be coated – Sloped or Flat Roof provided the remaining area is Class 1 or 2”

LRV Class 1 (=>45) – “Can be used in 75-100% of surface to be /painted/coated”

LRV Class 2 (<45 or untested) – “Can be used in 0-25% of surface to be painted/coated provided the remaining area is Class 1”.

Original Issue Date: 18 July 2017

Current Issue Date: 18 July 2018

Valid Until : 17 July 2019



ARIF HUSAIN AL MARZOOQI

Products Conformity Assessment Section Manager

Dubai Central Laboratory Department