

# CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality  
hereby attests that the product(s)

## Low Emitting Materials (Paints, Coatings, Adhesives, Sealants)

(Details as per the attached Scope of Certification)

manufactured by:


**AL GURG PAINTS LLC**

**Industrial Area 13, Emirates Road, Sharjah, UAE**

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

## 2017 AL SA'FAT GREEN BUILDING EVALUATION SYSTEM

Accordingly, DCLD hereby authorizes the above manufacturer  
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN  
Director, Dubai Central Laboratory Department  
Dubai Municipality



Certificate No: CL17020515  
Valid Until: 31/10/2019



Current Issue Date: 01/11/2018  
Original Issue Date: 01/11/2017

The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.  
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

**DUBAI CENTRAL LABORATORY DEPARTMENT**  
**DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**  
**SCOPE OF CERTIFICATION**  
**FOR CERTIFICATE NO. CL17020515**

**Certificate Issued To**

**AL GURG PAINTS L.L.C**

**INDUSTRIAL AREA 13, EMIRATES ROAD, SHARJAH, UAE**

**Applicable Standard Specification:**

2017 Al Sa'fat - Dubai Green Building Evaluation System

**Applicable Specific Rules:**

RD-DP21-2180-(IC) Specific Rules for Certification of Low Emitting Materials (Paints, Coatings, Adhesives, Sealants) As per the 2017 Al Sa'fat Dubai Green Building Evaluation System.

S/N	Product Description	Brand Name	Classification	Product Details
1	WATER BASED PAINT FOR INTERIOR APPLICATION	1. OASIS TRUMASTIC LUXURY GOLD ANTIFUNGAL	Water Based INTERIOR MATT WALLS AND CEILINGS PAINT (GLOSS < 25@60°) <b>(SUB-CATEGORY 1)</b>	<b>VOC</b> (Al Sa'fat-DGBES limit is max.30 g/l)  Heavy metals: <b>Cadmium (Cd) and Chromium (Cr)</b> (Al Sa'fat-DGBES limit < 500 mg/Kg), <b>Arsenic (As), Mercury Hg and Lead (Pb)</b> (Al Sa'fat-DGBES limit <100 mg/Kg)  <b>Formaldehyde</b> ≤ 10 mg/kg
		2. OASIS TRUMASTIC LUXURY SILK ANTIFUNGAL		
		3. OASIS TRUMASTIC LUXURY SILK		
		4. OASIS TRUMASTIC LUXURY SEMI GLOSS		
		5. OASIS TRUMASTIC LUXURY MATT		
		6. OASIS TRUMASTIC SUPER MATT		
		7. OASIS TRUMASTIC ACRYLIC MATT		
		8. OASIS TRUMASTIC MATT		
		9. OASIS TRUMASTIC PLASTIC SUPER		
		10. OASIS TRUMASTIC PLASTIC PLUS		
		11. OASIS TRUMATIC PLASTIC		
		12. OASIS CONTRACT EMULSION		
		13. OASIS TRULUXE DÉCOR VELVET		
		14. OASIS TRULUXE DECOR MARMORINO		
		15. OASIS STUCCO		
		16. OASIS KITCHEN & BATHROOM (W.B) ENAMEL		
		17. DULUX VINYL MATT EMULSION		
		18. DULUX VINYL MATT EMULSION – ANTIFUNGUS		
		19. DULUX VINYL SILK EMULSION		
		20. DULUX STUCCO		
		21. DULUX SUPERMATT PLUS		
		22. DULUX QUICK DRYING EGGSHELL FINISH		
		23. MAXILITE CONTRACT		

**DUBAI CENTRAL LABORATORY DEPARTMENT**  
**DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**  
**SCOPE OF CERTIFICATION**  
**FOR CERTIFICATE NO. CL17020515**

2	WATER BASED PAINT FOR EXTERIOR WALL APPLICATION	1. OASIS TRUSHIELD ULTRASMOOTH	<p align="center"><b>Water Based</b></p> <p align="center">EXTERIOR WALLS OF MINERAL SUBSTRATE <b>(SUB-CATEGORY 3)</b></p>	<p><b>VOC</b> (Al Sa'fat-DGBES limit is max. 40 g/l)</p> <p>Heavy metals: <b>Cadmium (Cd) and Chromium (Cr)</b> (Al Sa'fat-DGBES limit &lt; 500 mg/Kg), <b>Arsenic (As), Mercury Hg and Lead (Pb)</b> (Al Sa'fat-DGBES limit &lt;100 mg/Kg)</p> <p><b>Formaldehyde</b> ≤ 10 mg/kg</p> <p><b>LRV, %</b> 45 (minimum)</p>
		2. OASIS TRUSHIELD ACRYLIC SILK SMOOTH		
		3. OASIS TRUSHIELD ACRYLIC MATT SMOOTH		
		4. OASIS TRUSHIELD SILK SMOOTH		
		5. OASIS TRUSHIELD MATT SMOOTH		
		6. OASIS TRUSHIELD ULTRA SMOOTH		
		7. OASIS TRUSHIELD HERITAGE SILK		
		8. OASIS TRUSHIELD HERITAGE GLAZE		
		9. OASIS TRUSHIELD HERITAGE ANTIQUE		
		10. OASIS TRUSHIELD HERITAGE TRADITIONAL		
		11. OASIS TRUSHIELD HERITAGE CLASSIQUE		
		12. OASIS TRUSHIELD FINETEX		
		13. OASIS TRUSHIELD MEDIUMTEX		
		14. OASIS TRUSHIELD HEAVYTEX		
		15. OASIS TRUSHIELD FLUSHCOAT		
		16. OASIS TRUSHIELD TEXCOAT		
		17. OASIS EXTERIOR STUCCO		
		18. OASIS BLOCKFILLER		
		19. DULUX WEATHERSHIELD MASONRY PAINT SMOOTH		
		20. DULUX WEATHERSHIELD SILK		
		21. DULUX WEATHERSHIELD MASONRY PAINT TEXTURE		
		22. DULUX WEATHERSHIELD HIGH BUILD SOFT		
		23. DULUX WEATHERSHIELD HIGH BUILD		
		24. DULUX WEATHERSHIELD ARTLINE SMOOTH		
		25. DULUX WEATHERSHIELD ARTLINE		
		26. DULUX WEATHERSHIELD TEXCOAT		
		27. DULUX WEATHERSHIELD EXTERIOR STUCCO		

**DUBAI CENTRAL LABORATORY DEPARTMENT**  
**DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**  
**SCOPE OF CERTIFICATION**  
**FOR CERTIFICATE NO. CL17020515**

3	SOLVENT BASED PAINT FOR INTERIOR / EXTERIOR APPLICATION	1. OASIS PREMIUM ENAMEL	<b>Solvent Based/Water Based ONE-PACK PERFORMANCE COATINGS (SUB-CATEGORY 9)</b>	<b>VOC</b> (Al Sa'fat-DGBES limit is max. 500 g/l)  Heavy metals: <b>Cadmium (Cd)and Chromium (Cr)</b>  (Al Sa'fat-DGBES limit < 500 mg/Kg), <b>Arsenic (As), Mercury Hg) and Lead (Pb)</b> (Al Sa'fat- DGBES limit <100 mg/Kg)
		2. OASIS HI GLOSS ENAMEL		
		3. OASIS EGG SHELL ENAMEL		
		4. OASIS MATT ENAMEL		
		5. OASIS SOLVACRYL		
		6. DULUX EGG SHELL FINISH		
		7. DULUX HIGH GLOSS FINISH		
		8. DULUX MATT ENAMEL		
		9. DULUX MAGIC TOUCH		
		10. DULUX UNDERCOAT		
4	SOLVENT BASED PAINT FOR EXTERIOR/ INTERIOR APPLICATION	1. OASIS EPOXY TEXCOAT	<b>Solvent Based TWO PACK REACTIVE PERFORMANCE COATINGS FOR SPECIFIC END USE SUCH AS FLOORS (SUB-CATEGORY 10)</b>	<b>VOC</b> (Al Sa'fat-DGBES limit is max. 500 g/l)  Heavy metals: <b>Cadmium (Cd)and Chromium (Cr)</b> (Al Sa'fat-DGBES limit < 500 mg/Kg), <b>Arsenic (As), Mercury Hg) and Lead (Pb)</b> (Al Sa'fat-DGBES limit <100 mg/Kg)  <b>LRV, %</b>  45 (minimum)
		2. OASIS POLYURETHANE		
		3. DULUX POLYURETHANE FINISH		
		4. DULUX EPOXY SURFACE FILLER		
		5. DULUX EPOXY TEXCOAT		
		6. DULUX EPOXY FINISH		
5	SOLVENT BASED PAINT FOR INTERIOR /EXTERIOR APPLICATION	1. DULUX PENETRATING SEALER	<b>Solvent Based BINDING PRIMERS (SUB-CATEGORY 8)</b>	<b>VOC</b> (Al Sa'fat-DGBES limit is max. 40 g/l)  Heavy metals: <b>Cadmium (Cd)and Chromium (Cr)</b>  (Al Sa'fat-DGBES limit < 500 mg/Kg), <b>Arsenic (As), Mercury Hg) and Lead (Pb)</b>  (Al Sa'fat-DGBES limit <100 mg/Kg)  <b>Formaldehyde ≤ 10 mg/kg</b>
		2. DULUX EPOXY PRIMER		

**DUBAI CENTRAL LABORATORY DEPARTMENT**  
**DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**  
**SCOPE OF CERTIFICATION**  
**FOR CERTIFICATE NO. CL17020515**

6	WATER BASED PAINT FOR INTERIOR / EXTERIOR APPLICATION	1. OASIS PVA PRIMER	<b>Water Based PRIMERS (SUB-CATEGORY 7)</b>	<b>VOC</b> (Al Sa'fat-DGBES limit is max. 40 g/l)  Heavy metals: <b>Cadmium (Cd) and Chromium (Cr)</b>  (Al Sa'fat-DGBES limit < 500 mg/Kg), <b>Arsenic (As), Mercury Hg) and Lead (Pb)</b>  (Al Sa'fat-DGBES limit <100 mg/Kg)  <b>Formaldehyde</b> ≤ 10 mg/kg
		2. OASIS ACRYLIC PRIMER		
		3. OASIS TEXT PRIMER		
		4. DULUX WALL PRIMER		
		5. DULUX WEATHERSHIELD ACRYLIC PRIMER		
7	WATER BASED PAINT FOR EXTERIOR APPLICATION	1. DULUX WEATHERSHIELD HERITAGE GLAZE	<b>Water Based DECORATIVE EFFECT COATINGS (SUB-CATEGORY 12)</b>	<b>VOC</b> (Al Sa'fat-DGBES limit is max.30 g/l)  Heavy metals: <b>Cadmium (Cd)and Chromium (Cr)</b>  (Al Sa'fat-DGBES limit < 500 mg/Kg), <b>Arsenic (As), Mercury Hg) and Lead (Pb)</b> (Al Sa'fat- DGBES limit <100 mg/Kg)  <b>Formaldehyde</b> ≤ 10 mg/kg  <b>LRV, %</b>  45 (minimum)
		2. DULUX WEATHERSHIELD HERITAGE ANTIKTEX		
		3. DULUX WEATHERSHIELD HERITAGE Traditional		

*NOTE 1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.*

*NOTE2: The above product shall bear the DCL Conformity Mark.*

*NOTE 3: SRI and LRV shall be tested and classified based on the application of the product in the construction site to ensure that it meets the requirements of the DM-AL SA'FAT.*

*NOTE 4: For colors/Types not covered by the Scope, SRI and LRV shall be tested and classified based on the application of the product in the construction site to ensure that it meets the requirements of the DM-AL SA'FAT.*



**DUBAI CENTRAL LABORATORY DEPARTMENT**  
**DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**  
**SCOPE OF CERTIFICATION**  
**FOR CERTIFICATE NO. CL17020515**

*SRI Class 1 (> 78) – “Can be Used in 75 - 100% of surface to be coated – Sloped or Flat Roof”*

*SRI Class 2 (29<78) - “Can be Used in 75 - 100% of surface to be coated – Sloped Roof”*

*SRI Class 3 (< 29 or untested) – “Can be Used in 0 – 25% of surface to be coated – Sloped or Flat Roof  
provided the remaining area is Class 1 or 2”*

*LRV Class 1 (=>45) – “Can be used in 75-100% of surface to be /painted/coated”*

*LRV Class 2 (<45 or untested) – “Can be used in 0-25% of surface to be painted/coated provided the  
remaining area is Class 1”.*

*Original Issue Date: 01 November 2017*

*Current Issue Date: 01 November 2018*

*Valid Until: 31 October 2019*

ARIF HUSAIN AL MARZOOQI

Products Conformity Assessment Section Manager.

Dubai Central Laboratory Department