

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

Pipe and Duct Insulation

(Details as per the attached Scope of Certification)

manufactured by:

RUBBER WORLD INDUSTRY LLC
2435 New Industrial Area. Ajman, UAE

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

2017 AL SA'FAT GREEN BUILDING EVALUATION SYSTEM

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN
Director, Dubai Central Laboratory Department
Dubai Municipality



eiaci
مركز الاعتمادات العالمية للاعتماد
Emirates International Accreditation Centre
CB-003-PRD

Certificate No: CL18020532
Valid Until: 08/01/2020



Current Issue Date: 09/01/2019
Original Issue Date: 09/01/2018

The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL 18020532**

Certificate Issued To: RUBBER WORLD INDUSTRY LLC
2435 New Industrial Area, Ajman, UAE

Applicable Standard Specification: 2017 Al Sa'fat Green Building Evaluation System

Applicable Specific Rules: DM-DCLD-RD-DP21-2185-(IC) Specific Rules for Factory Assessment Certification of Pipe and Duct Insulation as per 2017 Al Sa'fat Green Building Evaluation System

S/N	Product Description	Brand Name	Product Details
1	NBR Elastomeric Foam for Pipe & Duct Insulation Materials CFC Free*	GULF-O-FLEX	NBR Elastomeric Foam for Pipe and Duct Insulation Materials With Thermal Conductivity, $k=0.037 \text{ W/(m}\cdot\text{K)}$ @ 35 °C & 55% RH (max) Water Vapor Permeance = 0.00 g/Pa-s-m ² is meeting the requirements of Table 1 of BS 5422:2009 Product Sizes: Rolls: Thickness range, 6mm to 50mm Length = 4m to 30m Width = 1m to 1.2 m Pipes: Internal Dia.: 6mm to 114mm Pipe wall Thickness Range: 6mm to 32mm Pipe Length: 1.8m to 2m

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL 18020532**

NOTE 1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

NOTE 2: The above products shall bear the DCL Conformity Mark.

NOTE3: CFC Free as per declaration from the company, in accordance with the 2017Al Sa'fat Green Building evaluation system

NOTE 4: The certificate is renewed and re-activated due to separating the Fire Safety requirements from Al Sa'fat Green Building evaluation system.

Original Issue Date: 09/01/2018

Current Issue Date: 13/05/2019

Valid Until: 08/01/2020

ARIF HUSAIN AL MARZOOQI

Products Conformity Assessment Section Manager

Dubai Central Laboratory Department