

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

In-situ Formed Sprayed PUR/PIR Thermal Insulation

(Details as per the attached Scope of Certification)

manufactured by:

AL AHLAM INSULATION MATERIAL SUPPLY LLC

P.O. Box 25769, Deira Dubai, UAE

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

BS EN 14315-1: 2013

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN
Director, Dubai Central Laboratory Department
Dubai Municipality



eiāci
مركز الاعتمادات العالمية للاعتماد
Emirates International Accreditation Centre
CB-003-PRD

Certificate No: CL19020663
Valid Until: 06/03/2020



Current Issue Date: 07/03/2019
Original Issue Date: 07/03/2019

The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.



**DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL19020663**

Certificate Issued To : AL AHLAM INSULATION MATERIAL
SUPPLY LLC

Company Name and address : P.O. Box 25769, Deira Dubai, UAE

Applicable Standard Specification: BS EN 14315-1:2013 – Thermal Insulating
Product for Buildings In-situ Formed Sprayed
Rigid Polyurethane (PUR) and PIR Foam
Products

Applicable Specific Rules : RD-DP21-2187 (IC) - Specific Rules for
Certification of In Situ Formed Sprayed
Polyurethane and Polyisocyanurate Foam
Products (As Per BS EN 14315-1:2013)
Through Factory Assessment

S/N	Product Description	Brand Name	Product Details
1	In-Situ Formed Sprayed Polyurethane and Polyisocyanurate Foam	AHLAM COMBO ROOFING SYSTEM	Min. Density : 40 kg/m ³ Thickness: 30-150 mm k-value: 0.029 W/(K·m)* (max) @ 35°C & 60% RH With a min. Compressive. Strength of 100 kPa Dimensional Stability (DS(TH)2 Short term water absorption by partial immersion: 0.1 kg/m ² (max) Product Code: PU EN14315-1-DS(TH)2- CS(10/Y)100-MU(25)

NOTE1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

NOTE2: The above product shall bear the DCL Conformity Mark.



**DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL19020663**

NOTE 3: *CFC Free as per declaration from the company in accordance with the 2017 Al Sa'fat – Dubai Green Building Evaluation System

NOTE 4: Applicable only to In Situ Formed Sprayed PUR Insulation Foam used as part of combo-roofing system where in the insulation material layer is fully covered by concrete layer. Accordingly there is no requirement for testing the fire safety requirements as per clause [6.3.8] of the UAE Fire and Life Safety Code of Practice 2018

Original Issue Date : 07/03/2019

Current Issue Date : 07/03/2019

Valid Until : 06/03/2020

ARIF HUSAIN AL MARZOOQI
Products Conformity Assessment Section Manager
Dubai Central Laboratory Department