

# CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality  
hereby attests that the product(s)

## In-situ Formed Sprayed PUR/PIR Thermal Insulation

(Details as per the attached Scope of Certification)

manufactured by:

**NAAM INSULATION CONTRACTING LLC**

**Al Rahaf Tower, Al Qusais Industrial Area, Dubai, UAE**

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

## BS EN 14315-1: 2013

Accordingly, DCLD hereby authorizes the above manufacturer  
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN  
Director, Dubai Central Laboratory Department  
Dubai Municipality



Certificate No: CL17020423  
Valid Until: 29/01/2022



Current Issue Date: 30/01/2021  
Original Issue Date: 30/01/2017



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.  
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

DUBAI CENTRAL LABORATORY DEPARTMENT  
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

**SCOPE OF CERTIFICATION**  
**FOR CERTIFICATE NO. CL17020423**

**Certificate Issued To:** NAAM INSULATION CONTRACTING LLC  
Al Rahaf Tower, Al Qusais Industrial Area, Dubai, UAE

**Applicable Standard Specification:** EN 14315-1:2013 – Thermal Insulating Product for Buildings In-situ Formed Sprayed Rigid Polyurethane (PUR) and PIR Foam Products

**Applicable Specific Rules:** DM-DCLD-RD-DP21-2187 (IC) “Specific Rules for Certification of In-Situ Formed Sprayed Polyurethane and Polyisocyanurate Foam Products (as per EN14315-1:2013) Through Factory Assessment”.

S/N	Product Description	Brand Name	Product Details
1	In-Situ Formed Sprayed Polyurethane (PUR) Foam  “CFC Free” *	GREEN COMBO SYSTEM	In-Situ Formed Sprayed Polyurethane (PUR) Foam Core Density = 40 Kg/m <sup>3</sup> (min) Min. Thickness = 50 mm Thermal Conductivity value= max. 0.026 W/(K·m) (Max. k-value measured at 35°C temperature and 60% relative humidity Condition.) With a minimum Compressive Strength of 200 kPa Product Code: PU EN14315-1-DS(TH)2-CS(10/Y)200-MU(40)

**NOTE1:** This document forms part of the Certificate of Product Conformity bearing the same certificate number.

**NOTE 3:** \*CFC Free as per declaration from the company in accordance with the 2017 Al Sa’fat – Dubai Green Building Evaluation System

DUBAI CENTRAL LABORATORY DEPARTMENT  
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

**SCOPE OF CERTIFICATION  
FOR CERTIFICATE NO. CL17020423**

*Original Issue Date* : 30 January 2017

*Current Issue Date* : 30 January 2021

*Valid Until* : 29 January 2022

ARIF HUSAIN AL MARZOOQI  
Products Conformity Assessment Section Manager  
Dubai Central Laboratory Department