

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

PUR/PIR Thermal Insulation

(Details as per the attached Scope of Certification)

manufactured by:

ROOF METAL INDUSTRIES LLC
Emirates Industrial City, Sajaa, Sharjah, UAE

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

BS EN 13165: 2012

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN
Director, Dubai Central Laboratory Department
Dubai Municipality



Certificate No: CL18020536
Valid Until: 14/01/2022



Current Issue Date: 15/01/2021
Original Issue Date: 15/01/2018



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL18020536

Certificate Issued To:	ROOF METAL INDUSTRIES LLC Emirates Industrial City, Sajaa, Sharjah, UAE
Applicable Standard Specification:	BS EN 13165:2012 –Thermal insulation products for buildings – Factory made rigid polyurethane foam (PU) products - Specification
Applicable Specific Rules:	DM-DCLD-RD-DP21-2124 (IC) “Specific Rules for Certification of Factory Made Rigid Polyurethane Foam (PU) Thermal Insulation (as per BS EN 13165:2012) Through Factory Assessment”.

S/N	Product Description	Brand Name	Product Details
1	Factory - made Rigid Polyisocyanurate (PIR) foam for Thermal Insulation (CFC Free)*	RMI	PIR Insulation Foam Nominal (min) Thickness – 50 mm, Length – 0.50 meter (min.) ; Width – 0.90 meter (min.); Apparent Density 35 kg/m ³ (min); Thermal conductivity (max): Initial value - 0.024 W/(m*K) & Aged value - 0.025 W/(m*K) @ 35 0C & 60 % RH; Code: PIR - EN 13165 - T1 - DS(TH)1- CS(10/Y)100 –Zi2 Manufactured with flat or corrugated metal sheet on both or either sides to be used as thermal insulation for sandwich panel.

NOTE 1: The above products shall bear the DCL Conformity Mark applied on each individual product.

NOTE 2: This certification covers only the PIR foam within the panel

NOTE 3: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

NOTE 4: * In compliance with Clause 701.01 (1) of the Green Building Regulations & Specifications

DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL18020536**

Original Issue Date : 15 January 2018

Current Issue Date : 15 January 2021

Valid Until : 14 January 2022

ARIF HUSAIN AL MARZOOQI

Products Conformity Assessment Section Manager
Dubai Central Laboratory Department