

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

Low Emitting Materials

(Details as per the attached Scope of Certification)

manufactured by:

BOSTIK LIMITED

Common Road, Stafford, Staffordshire, ST16 3EH - United Kingdom

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

2017 AL SA'FAT DUBAI GREEN BUILDING EVALUATION SYSTEM

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN
Director, Dubai Central Laboratory Department
Dubai Municipality



001-CB-PRD

Certificate No: CL17020455
Valid Until: 03/05/2021



Current Issue Date: 04/05/2020
Original Issue Date: 04/05/2017



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.



DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL17020455

Certificate Issued To:

BOSTIK LIMITED

Common Road, Stafford, Staffordshire, ST16 3EH,
United Kingdom

Applicable Standard Specification:

2017 Al Sa'fat Dubai Green Building Evaluation System

Applicable Specific Rules:

DM-DCLD-RD-DP21-2180-(IC) Specific Rules for
Certification of Low Emitting Materials (Paints, Coatings,
Adhesives, Sealants) As per the 2017 Al Sa'fat Dubai Green
Building Evaluation System.

S/N	PRODUCT DESCRIPTION	BRAND NAME	PRODUCT DETAILS
1.	One-pack performance coating	Idenden 30 -90 AF	Water Base Coating for Interior & Exterior HVAC Application Volatile Organic Compound (VOC) (Al Sa'fat – DGBES limit is max. 140 g/l)
		Idenden 30-90 Vapo-Seal Coating	
		Idenden ET-150AF	
2.	Multipurpose Construction - Adhesive	Idenden 10-188	Water Base Adhesive for Interior & Exterior HVAC Application Volatile Organic Compound (VOC) (Al Sa'fat – DGBES limit is max. 70 g/l)
		Idenden 10-450	
3.	Others – Sealant	Idenden 40-317	Water Base Sealant for Interior & Exterior HVAC Application Volatile Organic Compound (VOC) (Al Sa'fat – DGBES limit is max. 420 g/l)
4.	Sheet Applied Rubber Lining Operations - Adhesive	Idenden 10-88	Specialty Application Adhesive Volatile Organic Compound (VOC) (Al Sa'fat – DGBES limit is max. 850 g/l)



DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL17020455

5.	Architectural Sealant (Note 3)	<u>Acrylic Type</u> Bostik Idenden 40-317 High Velocity Duct Sealant Bostik A325 Bostik A585 Bostik A980 Bostik FP401	Water Base Sealant Volatile Organic Compound (VOC) (Al Sa'fat – DGBES limit is max. 250 g/l)
		<u>Silicone Type</u> Bostik S300 Bostik S520 Bostik S960 Bostik FP402	Water Base Sealant Volatile Organic Compound (VOC) (Al Sa'fat – DGBES limit is max. 250 g/l)

NOTE1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

NOTE2: The above products shall bear the DCL Conformity Mark.

NOTE3: These products are produced only in BOSTIK LIMITED's Outsourced Manufacturing Facility in BOSTIK BENELUX B.V. located in Denariusstraat 11, 4903 RC, Oosterhout, Netherlands.

Original Issue Date : 04 May 2017

Current Issue Date : 04 May 2020

Valid Until : 03 May 2021

ARIF HUSAIN AL MARZOOQI

Products Conformity Assessment Section Manager
Dubai Central Laboratory Department