

# CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality  
hereby attests that the product(s)

## Low Emitting Materials

(Details as per the attached Scope of Certification)

manufactured by:

**SHERWIN WILLIAMS PROTECTIVE & MARINE COATINGS.**

**Tower Works, Kestor Street, Bolton , BL2 2AL- UK**

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

## 2017 AL SA'FAT DUBAI GREEN BUILDING EVALUATION SYSTEM

Accordingly, DCLD hereby authorizes the above manufacturer  
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN  
Director, Dubai Central Laboratory Department  
Dubai Municipality



Certificate No: CL19020699  
Valid Until: 31/07/2021



Current Issue Date: 01/08/2020  
Original Issue Date: 01/08/2019



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.  
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.



## DUBAI CENTRAL LABORATORY DEPARTMENT DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

### SCOPE OF CERTIFICATION

#### FOR CERTIFICATE NO. CL19020699- Rev 01

**Certificate Issued To:**

**SHERWIN WILLIAMS PROTECTIVE & MARINE COATINGS.**

Tower Works, Kestor Street, Bolton , BL2 2AL- UK

**Applicable Standard Specification:**

2017 Al Sa'fat Dubai Green Building Evaluation System

**Applicable Specific Rules:**

**DM-DCLD-RD-DP21-2180-(IC)** Specific Rules for Certification

Low Emitting Materials (Paints, Coatings, Adhesives, Sealants)

As per the 2017 Al Sa'fat Dubai Green Building Evaluation System (DGBES).

S/N	Product Description	Brand Name	Product Details
1	Two pack reactive performance coatings for specific end such as floor (10)	FASTOP TG69 ; FASTOP SL23; FASTOP RS69; FASTOP JT40; FASTOP T100; RESUFIL; RESUSEAL; RESUSEAL Wall Gloss; SW GP 4401 Terrazzo wet look sealer; *Fast Top WR ; *Fast Top TC	Water Base Coating for Interior coatings products VOC (Al Sa'fat-DGBES Limit is max.140 g/l) LRV Class 1 ( $\geq 45$ ) – “Can be used in 75-100% of surface to be coated” (See Note 3)
2	Two pack reactive performance coatings for specific end such as floor (10)	Macropoxy K 267( Grey color) ; Acrolon C137; Acrolon 7300; SW GP 4502 - Terrazzo acrylic sealer; *Acrolon C 237 ; *RESISTEX M237	Solvent Base Coating for Interior & Exterior coatings products VOC (Al Sa'fat-DGBES Limit is max.500 g/l) LRV Class 1 ( $\geq 45$ ) – “Can be used in 75-100% of surface to be coated” (See Note 3)



## DUBAI CENTRAL LABORATORY DEPARTMENT DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

### SCOPE OF CERTIFICATION

#### FOR CERTIFICATE NO. CL19020699- Rev 01

3	Two pack reactive performance coatings for specific end such as floor (10)	SW GP 3520 Epoxy Terrazzo Matrix; S W GP 3556 - Epo-flex Membrane for the terrazzo system; RESUGRIP; RESUFLOOR VF; RESUCOAT HB; RESUDECK; ELLADUR SF Color; ELLADUR SF Clear; ELLADUR SL Base; RESUDECK MEMBRANE; RESUTILE WALL; RESUTILE 4; RESUPATCH; RESUPRIME PU; RESUBIND CP; RESUDECK ST; RESUDECK UV; RESUFLOOR FX ; *Resuscreed QS , *ACRYDUR HT- Sealer , *ACRYDUR N1	Solvent Free Coating for Interior & Exterior coatings products VOC (Al Sa'fat-DGBES Limit is max.500 g/l) LRV Class 1 ( $\geq 45$ ) – “Can be used in 75-100% of surface to be coated” (See Note 3)
4	One- pack performance coatings (9)	Phoenix 170-120	Solvent Base Coating for Interior / Exterior coatings products VOC (GBRS limit is max.500 g/l) LRV Class 1 ( $\geq 45$ ) – “Can be used in 75-100% of surface to be coated” (See Note 3)
5	One- pack performance coatings (9)	Phoenix 370-60 ; Phoenix 370-90; Phoenix 370-120; Phoenix 370-120H; ECUSEAL; SherLast Ultra Shield; AquArmor AC; RESUDECK AC ; SherLast Ultra Shield; RESUDECK AC	Water Base coating for Interior coatings products VOC (Al Sa'fat-DGBES Limit is max.140 g/l) LRV Class 1 ( $\geq 45$ ) – “Can be used in 75-100% of surface to be coated” (See Note 3)
6	Binding Primer (8)	Resuseal WB	Water Base Binding primer for Interior coatings products VOC (Al Sa'fat-DGBES Limit is max.30 g/l)
7	Binding Primer (8)	Zinc Clad II- In organic zinc rich primer ; Zinc Clad IV - Organic zinc rich primer; Macropoxy C 425; Macropoxy L 425; Macropoxy 646; Macropoxy C400; Resuprime; Resutack PU; RS Dampshield; Fluropon Primer; Fluropon Top Coat; Fluroclear;	Solvent Base Binding primer for Interior/ Exterior coatings products VOC (Al Sa'fat-DGBES Limit is max.750 g/l)



**DUBAI CENTRAL LABORATORY DEPARTMENT  
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION  
FOR CERTIFICATE NO. CL19020699- Rev 01**

8	* Binding Primer (8)	*ACRYDUR GRB1 -Primer	Solvent free Binding primer for Interior coatings products VOC (Al Sa'fat-DGBES Limit is max.30 g/l)
---	-------------------------	-----------------------	--

NOTE 1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

NOTE 2: The above product shall bear the DCL Conformity Mark.

Note 3: For colors/types not covered by the Scope, SRI and LRV shall be tested and classified based on the application of the product in the construction site to ensure that it meets the requirements of Al Sa'fat.

- SRI Class 1 ( $\geq 78$ ) – “Can be Used in 75 - 100% of surface to be coated – Sloped or Flat Roof”
- SRI Class 2 ( $29 < 78$ ) - “Can be Used in 75 - 100% of surface to be coated – Sloped Roof”
- SRI Class 3 ( $< 29$  or untested) – “Can be Used in 0 – 25% of surface to be coated – Sloped or Flat Roof provided the remaining area is Class 1 or 2
- LRV Class 1 ( $\geq 45$ ) – “Can be used in 75-100% of surface to be /painted/coated”
- LRV Class 2 ( $< 45$  or untested) – “Can be used in 0-25% of surface to be painted/coated provided the remaining area is Class 1”.

Note 4: \* Newly added products and this scope replace scope issued on 01 Aug 2020

*Original Issue Date* : 01 Aug 2019

*Current Issue Date* : 13 Jan 2021

*Valid Until* : 31 July 2021

ARIF HUSAIN AL MARZOOQI  
Products Conformity Assessment Section Manager  
Dubai Central Laboratory Department