

Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:
Document Title:	Specific Rules for FA Certification of Concrete Admixtures as per (BS EN 934-2:2009 +A1:2012)	عنوان الوثيقة:
Doc Ref.	DM-DCLD-RD-DP21-2195 (IC)	رقم الوثيقة:



Issue Date	Rev. No.	Summary Of Amendments
21/03/2017	0	First draft for comments
13/05/2017	0	Final draft
18/05/2017	1	Issue for use
13/06/2017	2	Removed Table 1 and modified as highlighted
02/04/2019	3	New amendment and revision according to BS EN 934-2:2009 +A1:2012
21/07/2020	4	Add the options for initial audit by the approved CAB and remotely by PCAS. Adding
		definition for authorized auditor. Update for the new numbering system and followed
		terminologies. Add provision for accepting valid test reports

Approved by HOU	Authorized by PCASM
Date of Issue: 21/07/2020	Rev. No. : 04
درجة السرية / Level of Confidentiality : عام / General	Page 1 of 8



Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	
Document Title:	Specific Rules for FA Certification of Concrete Admixtures as per (BS EN 934-2:2009 +A1:2012)	عنوان الوثيقة:	حيــة دبـي
Doc Ref	DM_DCLD_RD_DD21_2195 (IC)	، قد اله تُنقة ·	



1. GENERAL

1.1 INTRODUCTION

- 1.1.1 This document prescribes the specific rules for the implementation of the DM Third Party Product Certification

 Scheme Through Factory Assessment as applied to the specific product(s) identified herein, taking into consideration the applicable normative references and standard specifications.
- 1.1.2 The applicant shall comply with these specific rules, and to those already mentioned in the "General Rules for DM Third Party Product Certification Scheme Through Factory Assessment" DM-DCLD-RD-DP21-2001 (IC).
- 1.2 SCOPE

This specific rule applies only to manufacturer of concrete admixtures;

- 1.3 Product identification and applicable standards/normative references
- 1.3.1 Product name: Concrete admixtures
- 1.3.2 Applicable Standard/Normative Reference: BS EN 934-2 Concrete admixtures

BS EN 934-1 Admixtures – common requirements

1.3.3 Additional References:

ISO 9001 Quality Management System – Requirements ISO 19011 Guidelines for Auditing Management Systems

1.4 DEFINITION OF TERMS

In addition to the definitions given in BS EN 934-1, BS EN 934-2 and DM-DCLD-RD-DP21-2001 (IC the following shall also apply:

- 1.4.1 Independent Testing Laboratory Dubai Central Laboratory (DCL) or any testing laboratory recognized by DCLD-PCAS.
- 1.4.2 Independent Test test performed or conducted by the recognized Independent Testing Laboratory
- 1.4.3 Standard Specification BS EN 934-2 Concrete admixtures
- 1.4.4 Product Quality Assurance Plan a document being agreed upon both by the Client and DCLD-PCAS, being used to ensure continuous compliance of the certified product.
- 1.4.5 QMS Quality Management System aligned with the requirements of ISO 9001 Standard

Approved by HOU	Authorized by PCASM
Date of Issue: 21/07/2020	Rev. No. : 04
درجة السرية / Level of Confidentiality : عام /	Page 2 of 8



Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	
Document Title:	Specific Rules for FA Certification of Concrete Admixtures as per (BS EN 934-2:2009 +A1:2012)	عنوان الوثيقة:	ديــة دبـي DUBAI MUNICIF
Doc Ref.	DM-DCI D-RD-DP21-2195 (IC)	رقم اله ثبقة:	



- 1.4.6 Client Manufacturer of the concrete admixture
- 1.4.7 DM Certification Body: Dubai Central Laboratory Department-Products Conformity Assessment Section (DCLD-PCAS)
- 1.4.8 Authorized auditor: is any approved auditor by DCLD-PCAS either internal within DCLD or external (Approved CAB's auditor or approved auditor based on a signed contract)

2. REQUIREMENTS FOR CERTIFICATION

- 2.1 APPLICATION
- 2.1.1 The client shall apply to DCLD-PCAS for the Certification and authorization to use the DCL Conformity Mark.
- 2.1.2 Application forms shall be submitted to DCLD-PCAS together with the following documents
 - a. Industrial /Trade License
 - b. Complete Product Description and Specifications
 - c. Brief Description of Manufacturing Process
 - d. Copy of the Quality Manual (Controlled Copy), (If available)
 - e. Vicinity Map and Factory Layout
 - f. Valid Certification to ISO 9001 (If available)
 - g. List of personnel and their designation
 - h. Total number of effective personnel involved in manufacture of the product (technical, managerial and support personnel)
 - i. List of available testing equipment and tests conducted internally
 - j. Installation instruction for use of concrete admixture on site
- 2.1.3 Separate application shall be submitted for each product type or group of products that refers to a different specific rules.
- 2.2 FACTORY OPERATION
- 2.2.1 Quality Management System

The client shall have a Quality Management System that is aligned to the requirements of ISO 9001 standard.

NOTE: Having a certificate of ISO 9001 is not a mandatory requirement; however the structure of the client's QMS shall be in line with its requirements.

2.2.2 Laboratory for Factory Production Control Testing

Approved by HOU	Authorized by PCASM
Date of Issue: 21/07/2020	Rev. No. : 04
درجة السرية / Level of Confidentiality : عام /	Page 3 of 8



Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	
Document Title:	Specific Rules for FA Certification of Concrete Admixtures as per (BS EN 934-2:2009 +A1:2012)	عنوان الوثيقة:	
Doc Ref.	DM-DCLD-RD-DP21-2195 (IC)	رقم الوثيقة:	

The client shall have a quality assurance laboratory to carry out factory production control testing to ensure that the raw materials and finished product comply with the requirements of the standard specification.

The laboratory can be part of the factory production facilities, or, can be through a documented agreement with an accredited external laboratory.

2.3 INITIAL FACTORY AUDIT

2.3.1 Initial factory audit will be carried out by duly authorized auditor(s) which will cover auditing of the quality management system to verify its compliance with the requirements of ISO 9001, in addition to verify the implementation of DCLD-PCAS certification's requirements. Where possible; the audit can be carried out remotely as per (DM-DCLD-RD-DP21-2098 (IC) Guidelines for Remote Audit) or as per the related approved guidelines which are followed by the approved outsourced CAB.

NOTE: An independent certification to ISO 9001 issued by a QMS certification body recognized by DCLD-PCAS may be considered as having satisfied this requirement; however, DCLD-PCAS reserves the right to carry out verification audit to confirm that the factory is in compliance with the QMS requirements, in addition to the requirements of DCLD certification schemes and rules.

- 2.3.2 Factory audit shall be conducted by designated audit team in accordance with ISO 19011 Guidelines for Auditing Management Systems.
- 2.4 PRODUCT EVALUATION
- 2.4.1 Sampling
- Sampling for initial testing shall be shall be taken randomly by the authorized auditor from the products to be certified (sizes to be determined) either from production lines or the factory warehouse.
- 2.4.1.2 Three sets of sample per product per type shall be subjected to testing; the first set, where possible, will be tested in the plant witnessed by a duly authorized auditor, the second set will be sent to DCLD-PCAS approved Independent Testing Laboratory. The third set will be kept by the client as reference for future use.
- 2.4.1.3 Sample(s) for independent test shall be packed/sealed and signed in the presence of the authorized auditor and shall be submitted to DCLD-PCAS approved lab.
- 2.4.2 Product Evaluation and testing
 - 2.4.2.1 The client shall submit to DCLD-PCAS declaration of product specification subject for certification
 - 2.4.2.2 Samples drawn for independent test shall meet the requirements of BS EN 934 part 1 & part 2 as per

Approved by HOU	Authorized by PCASM
Date of Issue: 21/07/2020	Rev. No. : 04
درجة السرية / Level of Confidentiality : عام /	Page 4 of 8



Organization/Unit:	إدارة مختبر دبي المركزي	الوحدة التنظيمية:
-	Dubai Central Laboratory Department	
Document Title:	Specific Rules for FA Certification of Concrete	عنوان الوثيقة:
Document Title:	Admixtures as per (BS EN 934-2:2009 +A1:2012)	حوال الولية.
Doc Ref.	DM-DCLD-RD-DP21-2195 (IC)	رقم الوثيقة:



the requirements of specific types of admixture in Part 2 and general requirements in Part 1 of the standard.

- 2.4.2.3 The Reference concrete mix design shall be specified initially for the performance tests and can include any type of cement combination compatible with the admixture type and parallel to Dubai municipality requirements and local regulations and subjected to client acceptance.
- 2.4.2.4 Where appropriate, a comparison shall be made between the client's routine test results, results of witness testing and the results of testing by the recognized independent testing laboratory.
- 2.4.2.5 Independent test shall only be conducted if the result of the in-factory test shows satisfactory result. DCLD-PCAS may opt to accept available valid test reports conducted by an approved DCLD-PCAS independent laboratory within one year from the date of the initial assessment, in line with the internal quality control testing plan of the factory. In such case, the testing of that particular parameter(s) shall be waived accordingly.
- 2.4.2.6 If the result of the test conducted by the recognized independent testing laboratory shows non-conformance to the specified requirements, the provision for rejection specified in the BS EN 934-2 standard shall apply. The re-test shall be carried out on the reference sample kept by the client OR on new samples collected by DCLD-PCAS, on which full testing shall be carried out, if necessary.
- 2.4.2.7 If the re-test passed, the initial product assessment is considered conforming to product specification. If not, the client will be advised to take corrective action.
- **2.4.2.8** Only after re-assessment and subsequent product compliance shall the client be allowed to use the DCL Conformity Mark on his product.

Performance requirements for specific types of admixture as per table 1 of BS EN 934-2

Name of admixture	Definition	Performance requirements
Water reducing/plasticizing admixtures	3.2.2	Table 2
High range water reducing/super plasticizing admixtures	3.2.3	Tables 3.1 and 3.2
Water retaining admixtures	3.2.4	Table 4
Air entraining admixture	3.2.5	Table 5 of
Set accelerating admixtures	3.2.6	Table 6 of
Hardening accelerating admixtures	3.2.7	Table 7
Set retarding admixtures	3.2.8	Table 8 of (BS EN 934-2)
Water resisting admixtures	3.2.9	Table 9 of (BS EN 934-2)
Set retarding/water reducing/plasticizing admixtures	3.2.10	Table 10 of (BS EN 934-2)
Set retarding/high range water reducing/super plasticizing Admixtures	3.2.11	Tables 11.1 and 11.2 of
Set accelerating/water reducing/plasticizing admixtures	3.2.12	Table 12
Viscosity modifying admixture	3.2.13	Table 13

Approved by HOU	Authorized by PCASM
Date of Issue: 21/07/2020	Rev. No. : 04
درجة السرية / Level of Confidentiality : عام /	Page 5 of 8



Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	
Document Title:	Specific Rules for FA Certification of Concrete Admixtures as per (BS EN 934-2:2009 +A1:2012)	عنوان الوثيقة:	بـــ ي DUB
Doc Ref.	DM-DCLD-RD-DP21-2195 (IC)	رقم الوثيقة:	



3. GRANTING OF THE DCL CERTIFICATE OF CONFORMITY

3.1 CONDITIONS FOR GRANTING THE DCL PRODUCT CERTIFICATE OF CONFORMITY

- 3.1.1 When the results of the factory audit (clause 2.3) and product evaluation (clause 2.4) show conformity to the requirements specified in the General Rule and Specific Rule, the Certificate of Conformity and authorization to use the DCL Conformity Mark shall be issued to the client for the type(s) and size of the product covered by the assessment.
- 3.1.2 The client shall agree with the DCLD-PCAS for the preparation and implementation of a product quality assurance plan / mechanism to ensure continuing compliance with the Standard Specifications and the requirements of this certification scheme. It shall consist of (1) an internal factory production control plan, and (2) an independent testing plan.

3.1.3 Internal Product Quality Assurance Plan

The client shall have an internal product quality assurance plan giving details of the tests to be carried out at the factory. This will include as a minimum, the following details: (1) location of sampling; (2) frequency of sampling; (3) quantities of samples; (4) tests to be carried out; (5) results acceptance criteria; and (6) responsible person to carry out the activity. The plan shall take into consideration the production process, the volume of production, the criticality of the test to be specified, and other relevant factors.

The plan shall take into consideration the production process, the volume of production, the criticality of the test to be specified, and other relevant factors

3.1.4 Independent Testing Plan

The client shall agree to an independent testing plan to be carried out on samples which are collected in accordance with DM-DCLD-RD-DP21-2096 (IC) — Surveillance of Certified Clients under the Factory Assessment Scheme, and implemented by DCLD-PCAS.

3.2 ISSUANCE OF DCL CERTIFICATE OF CONFORMITY

If the conditions mentioned in clause 3.1 above have been complied, the client shall be issued a DCL Certificate of Conformity and a Scope of Certification that covers the type(s) and size of the products that are certified and will be authorized to use the DCL Conformity Mark on the certified products.

3.3 RESPONSIBILITIES OF THE CERTIFIED CLIENT

3.3.1 The client shall ensure that his product, for which a certificate of conformity has been issued, conforms

Approved by HOU	Authorized by PCASM
Date of Issue: 21/07/2020	Rev. No. : 04
درجة السرية / Level of Confidentiality : عام /	Page 6 of 8



Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	
Document Title:	Specific Rules for FA Certification of Concrete Admixtures as per (BS EN 934-2:2009 +A1:2012)	عنوان الوثيقة:	بلديـة دبي
Doc Ref.	DM-DCLD-RD-DP21-2195 (IC)	رقم الوثيقة:	

at all times to the requirements of the General Rule and Specific Rules and shall maintain to the satisfaction of DCL, a system of quality control including inspection and testing.

- 3.3.2 The client shall give the duly authorized auditor(s), access during working hours, without prior notification, to the premises of the factory where certified product is manufactured, for the purpose of evaluating the materials, production processes, finished products, quality assurance facilities, records and others in accordance with the requirements of the scheme.
- 3.3.3 The client shall inform DCLD-PCAS in writing of any change of management, transfer of plant site, modification in the product, manufacturing process or factory's quality management system.
- 3.3.4 Upon transfer of plant site, the certificate of conformity shall be deemed valid only after factory and product audit at the new site has been satisfactorily completed.
- 3.3.5 Any infraction stated in the terms and conditions of the certification scheme and the use of DCL Conformity Mark shall constitute sufficient grounds for suspension, withdrawal and termination of certification in accordance with DM-DCLD-IMS-RD-07.
- 3.3.6 Any dispute that may arise in connection with the Terms and Conditions of the certification scheme shall be settled in accordance with DM-DCLD-IMS-RD-08 Appeals, Disputes, and Complaints Procedure.
- 3.3.7 The client shall pay all applicable fees related to the certification process.

3.4 USE OF THE DCL CONFORMITY MARK

- 3.4.1 The design and use of the DCL Conformity Mark shall be in accordance with the Terms and Conditions for the Use of the DCL Conformity Mark, DM-DCLD-IMS-RD-13
- 3.4.2 The client shall submit a product-marking proposal for approval by DCLD-PCAS. The proposal shall include drawings and/or diagrams showing the location and size of the marking for each size of the product/product container.
- 3.4.3 The Certificate of Conformity and the authorization to use the DCL Conformity Mark is non-transferable.

4 SURVEILLANCE

- 4.1 DCLD-PCAS or their authorized auditor shall carry out periodic surveillance to ensure consistent compliance with the requirements of this certification scheme as per DM-DCLD-RD-DP21-2096 (IC) Surveillance of Certified Clients under the Factory Assessment Scheme.
- 4.2 Testing as part of the surveillance shall be in accordance with the Independent Testing Plan (clause 3.1.4) that has been agreed between DCLD-PCAS and the client.

Approved by HOU	Authorized by PCASM
Date of Issue: 21/07/2020	Rev. No. : 04
درجة السرية / Level of Confidentiality : عام /	Page 7 of 8



Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:
Document Title:	Specific Rules for FA Certification of Concrete Admixtures as per (BS EN 934-2:2009 +A1:2012)	عنوان الوثيقة:
Doc Ref.	DM-DCLD-RD-DP21-2195 (IC)	رقم الوثيقة:



5. FEE SCHEDULE

- The client shall pay the applicable fees and charges related to the granting of the certificate of conformity and the authorization to use the DCL Conformity Mark based on the DCL Official Fee Structure, DM-DCLD-RD-DP21-2074(IC).
- 5.2 The fees for this certification scheme shall include but not limited to the following;
 - 5.2.1 Application Fee
 - 5.2.2 Initial Assessment Fee
 - 5.2.3 Certification Fee
 - 5.2.4 Marking Fee
 - 5.2.5 Surveillance Fee
 - 5.2.6 Annual Renewal Fee
 - 5.2.7 Testing Fee
 - 5.2.8 Outsource Activity Fee , where applicable

Approved by HOU	Authorized by PCASM
Date of Issue: 21/07/2020	Rev. No. : 04
درجة السرية / Level of Confidentiality : عام / General	Page 8 of 8