

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for FA Certification of Gypsum Plasterboards as per BS EN 520: 2004+A1:2009	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2197 (IC)	رقم الوثيقة:	

Issue Date	Rev. No.	Summary Of Amendments
23/02/2017	0	First draft for comments
13/05/2017	0	Final draft
17/05/2017	1	Issue for use
26/03/2019	2	Updated format as per new DM template and new DM logo
06/09/2020	3	Add the options for initial audit by the approved CAB and remotely by PCAS. Adding definition for authorized auditor. Update for the new numbering system and followed terminologies. Correction of numbering. Add provision for accepting valid test reports
26/09/2021	4	Removal of the documents in clause 2.1.2, in addition to further amendment in the provision for accepting valid test reports (clause 2.4.2.3), in line with DM 30% reduction of requirements (both service and specialized). Modifications in the auditing part for the factories already certified against ISO 9001 to opt for auditing only the areas of production and monitoring stages of product realization, quality control and final product testing and evaluation.

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 04
General / عام : Level of Confidentiality / درجة السرية	Page 1 of 8

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for FA Certification of Gypsum Plasterboards as per BS EN 520: 2004+A1:2009	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2197 (IC)	رقم الوثيقة:	

1. GENERAL

1.1 INTRODUCTION

- 1.1.1 This document prescribes the specific rules for the implementation of the DM Third Party Product Certification Scheme Through Factory Assessment as applied to the specific product(s) identified herein, taking into consideration the applicable normative references and standard specifications.
- 1.1.2 The applicant shall comply with these specific rules, and to those already mentioned in the “General Rules for DM Third Party Product Certification Scheme Through Factory Assessment” DM-DCLD-RD-DP21-2001 (IC).

1.2 SCOPE

This specific rule specifies requirements for the types, physical properties and dimensions of Gypsum Plasterboards.

1.3 PRODUCT IDENTIFICATION AND APPLICABLE STANDARD/NORMATIVE REFERENCE

- 1.3.1 Product name: Gypsum Plasterboards
- 1.3.2 Applicable standard/Normative reference: BS EN 520:2004 + A1:2009 Gypsum plasterboards – Definitions, requirements and test methods
- 1.3.3 Additional reference:
- ISO 9001 Quality Management System – Requirements
- ISO 19011 Guidelines for Auditing Management System.

1.4 DEFINITION OF TERMS

The definitions given in BS EN 520, DM-DCLD-RD-DP21-2001 (IC) and in addition, the following shall apply:

- 1.4.1 Independent Testing Laboratory - Dubai Central Laboratory (DCL) or any testing laboratory recognized by DCLD PCAS.
- 1.4.2 Independent Test – test performed or conducted by the recognized Independent Testing Laboratory or any

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 04
General / عام : Level of Confidentiality / درجة السرية	Page 2 of 8

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for FA Certification of Gypsum Plasterboards as per BS EN 520: 2004+A1:2009	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2197 (IC)	رقم الوثيقة:	

testing laboratory recognized by DCLD-PCAS.

- 1.4.3 Standard Specification – BS EN 520:2004 + A1:2009 Gypsum Plasterboards – Definitions, requirements and test methods
- 1.4.4 QMS – Quality Management System aligned with the requirements of ISO 9001 Standard
- 1.4.5 (Product Quality Assurance Plan) – a document being agreed upon both by the Client and DCLD-PCAS being used to ensure continuous compliance of the certified product.
- 1.4.6 Client: Manufacturer/producer of Gypsum Plasterboards
- 1.4.7 DM Certification Body: Dubai Central Laboratory Department-Products Conformity Assessment Section- (DCLD-PCAS).
- 1.4.8 Authorized auditor : is any approved auditor by DCLD-PCAS either internal within DCLD or external (Approved CAB's auditor or approved auditor based on a signed contract)

2. REQUIREMENTS FOR CERTIFICATION

2.1 APPLICATION

- 2.1.1 The client shall apply to DCLD-PCAS for the Certification and the authorization to use the DCL Conformity Mark.
- 2.1.2 Application form shall be submitted to DCLD-PCAS.
- 2.1.3 Separate application shall be submitted for each product type or group of products that refers to a different specific rules.

2.2 FACTORY OPERATION

2.2.1 Quality Management System

The client shall have a Quality Management System that is aligned to the requirements of ISO 9001 standard.
NOTE: Having a certificate of ISO 9001 is not a mandatory requirement; however the structure of the client's QMS shall be in line with its requirements.

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 04
General / عام : Level of Confidentiality / درجة السرية	Page 3 of 8

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for FA Certification of Gypsum Plasterboards as per BS EN 520: 2004+A1:2009	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2197 (IC)	رقم الوثيقة:	

2.2.2 Laboratory

The client shall have a quality assurance laboratory to carry out factory production control testing to ensure that the gypsum plasterboards comply with the requirements of the standard specification.

The laboratory can be part of the factory facilities, or, can be through a documented agreement with an accredited external laboratory. As a minimum requirement, the laboratory shall have the following testing equipment:

- Weighing Scale
- Dimensional measuring instrument
- Trueness & Squareness measuring equipment

2.3 INITIAL FACTORY AUDIT

- 2.3.1 Initial factory audit will be carried out by duly authorized auditor(s) which will cover auditing of the quality management system to verify its compliance with the requirements of ISO 9001, in addition to verify the implementation of DCLD-PCAS certification's requirements. Where possible; the audit can be carried out remotely as per (DM-DCLD-RD-DP21-2098 (IC) Guidelines for Remote Audit) or as per the related approved guidelines which are followed by the approved outsourced CAB.

NOTE: An independent certification to ISO 9001 issued by a QMS certification body recognized by DCLD-PCAS may be considered as having satisfied this requirement; however, DCLD-PCAS may still opt to carry out verification audit to confirm that the factory is in compliance with requirements of DCLD certification schemes and rules, mainly the areas of production and monitoring stages of product realization, quality control and final product testing and evaluation

- 2.3.2 Factory audit shall be conducted by designated audit team in accordance with ISO 19011 – Guidelines for Auditing Management Systems.

2.4 PRODUCT EVALUATION

2.4.1 Sampling

- 2.4.1.1 Sampling and inspection shall be carried out in accordance with the requirements of section 5.1 of the Standard Specification. Size shall be determined and a random sample shall be taken either in the factory or warehouse.

- 2.4.1.2 Three sets of sample per product per type shall be subjected to testing; the first set, where possible, will be tested

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 04
General / عام : Level of Confidentiality / درجة السرية	Page 4 of 8

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for FA Certification of Gypsum Plasterboards as per BS EN 520: 2004+A1:2009	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2197 (IC)	رقم الوثيقة:	

in the plant witnessed by a duly authorized auditor, the second set will be sent to DCLD-PCAS approved independent testing laboratory. The third set will be kept by the client as reference for future use.

2.4.1.3 Test sample(s) for independent test shall be packed/sealed and signed in the presence of the authorized auditor and shall be submitted to DCLD-PCAS approved independent testing laboratory by the authorized auditor.

2.4.2 Product Evaluation and testing

2.4.2.1 The tests to be carried out shall cover the following product performance characteristics: reaction to fire, water vapour permeability, flexural strength (breaking load), impact resistance and thermal resistance addition to the required Test Methods mentioned in section 5 of the Standard Specification as follows, when applicable according to the required type;

2.4.2.1.1 Determination of width, length, thickness, squareness of ends, taper profile as per BS EN 520:2004 + A1:2009

2.4.2.1.2 Determination of flexural strength (flexural breaking load) as per BS EN 520:2004 + A1:2009

2.4.2.1.3 Determination of deflection under load as per BS EN 520:2004 + A1:2009

2.4.2.1.4 Determination of water absorption as per BS EN 520:2004 + A1:2009

2.4.2.1.5 Determination of core cohesion at high temperature as per BS EN 520:2004 + A1:2009

2.4.2.1.6 Determination of density as per BS EN 520:2004 + A1:2009

2.4.2.1.7 Determination of surface hardness of the board as per BS EN 520:2004 + A1:2009

2.4.2.1.8 Determination of shear strength (strength of board/substructure connection) as per BS EN 520:2004 + A1:2009

2.4.2.1.9 Determination of paper grammage as per EN ISO 536 if required.

2.4.2.2 The results of testing must meet the requirements as per the standard specification.

2.4.2.3 Where applicable, Independent test shall only be conducted if the result of the in-plant test shows satisfactory results. DCLD-PCAS shall accept available valid test reports conducted by an approved DCLD-PCAS independent laboratory within one year from the date of the initial assessment, in line with the internal quality control testing plan of the factory. In such case, the testing of that particular parameter(s) shall be waived accordingly

2.4.2.4 If the result of the test conducted by the DCLD-PCAS approved laboratory shows non-conformance to the specified requirements, the provision for rejection specified in the standard shall apply. The retest shall be carried out on the reference sample kept by the client or on new samples collected by the authorized auditor, on which full testing shall be carried out, if necessary.

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 04
General / عام : Level of Confidentiality / درجة السرية	Page 5 of 8

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

 GOVERNMENT OF DUBAI	Organization/Unit: إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية: 	 بلدية دبي DUBAI MUNICIPALITY
	Document Title: Specific Rules for FA Certification of Gypsum Plasterboards as per BS EN 520: 2004+A1:2009	عنوان الوثيقة: 	
	Doc Ref. DM-DCLD-RD-DP21-2197 (IC)	رقم الوثيقة: 	

2.4.2.5 If the re-test passed, the initial product assessment is considered conforming to product specification. If not, the manufacturer will be advised to take corrective action

2.4.2.6 Only after reassessment and subsequent product compliance shall the client be allowed to use DCL Conformity Mark on his product(s) that have been tested and found complying with the certification requirements.

3. GRANTING OF THE DCL CERTIFICATION

3.1 CONDITIONS FOR GRANTING THE DCL PRODUCT CONFORMITY CERTIFICATE

3.1.1 When the results of the factory audit (clause 2.3) and product evaluation (clause 2.4) show conformity to the requirements specified in the general rule and specific rule, the Certificate of Conformity and authorization to use the DCL Conformity Mark shall be issued to the client for the type(s)/model(s)/brand(s) of the product covered by the assessment.

3.1.2 The client shall agree with the DCLD-PCAS for the preparation and implementation of a product quality assurance plan to ensure continuing compliance with the Standard Specifications and the requirements of this certification scheme. The plan shall consist of (1) an internal product quality assurance, and (2) an independent testing plan

3.1.3 Factory Production Control System (Internal Product Quality Assurance Plan)

The client shall prepare and submit to DCLD-PCAS for approval of an internal product quality assurance plan giving details of the tests to be carried out at the factory. This will include as a minimum, the following details: (1) location of sampling; (2) frequency of sampling; (3) quantities of samples; (4) tests to be carried out; (5) results acceptance criteria; and (6) responsible person to carry out the activity

The plan shall take into consideration the production process, the volume of production, the criticality of the test to be specified, and other relevant factors

3.1.4 Independent testing plan

The client shall agree to an independent testing plan to be carried out on samples which are collected in accordance with DM-DCLD-RD-DP21-2096 (IC) – Surveillance of Certified clients under the Factory Assessment Scheme, and implemented by DCLD-PCAS. The cost of testing under the independent testing plan shall be borne by the client.

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 04
General / عام : Level of Confidentiality / درجة السرية	Page 6 of 8

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

 GOVERNMENT OF DUBAI	Organization/Unit: إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title: Specific Rules for FA Certification of Gypsum Plasterboards as per BS EN 520: 2004+A1:2009	عنوان الوثيقة:	
	Doc Ref. DM-DCLD-RD-DP21-2197 (IC)	رقم الوثيقة:	

3.2 ISSUANCE OF DCL CERTIFICATE OF CONFORMITY

If the conditions mentioned in clause 3.1 above have been complied, the client shall be issued a DCL Certificate of Conformity and a Scope of Certification that covers the type(s) and size of the products that are certified and will be authorized to use the DCL Conformity Mark on the certified products.

3.3 RESPONSIBILITIES OF THE CERTIFIED CLIENT

- 3.3.1 The client shall ensure that his product, for which a certification has been issued, conforms at all times to the requirements of the General Rule and Specific Rules and shall maintain to the satisfaction of DCLD-PCAS, a system of quality control including inspection and testing.
- 3.3.2 The client shall give the duly authorized auditor(s), access during working hours, without prior notification, to the premises of the factory where certified product is manufactured, for the purpose of evaluating the materials, production processes, finished products, quality assurance facilities, records and others in accordance with the requirements of the scheme.
- 3.3.3 The client shall inform the DCLD-PCAS in writing of any change of management, transfer of plant site, modification in the product, manufacturing process or factory's quality management system.
- 3.3.4 Upon transfer of plant site, the certification shall be deemed valid only after factory and product audit at the new site has been satisfactorily completed.
- 3.3.5 Any infraction stated in the terms and conditions of the certification scheme and the use of DCL Conformity Mark shall constitute sufficient grounds for suspension, withdrawal and termination of certification in accordance with DM-DCLD-IMS-RD-07
- 3.3.6 Any dispute that may arise in connection with the Terms and Conditions of the certification scheme shall be settled in accordance with DM-DCLD-IMS-RD-08 Appeals, Disputes, and Complaints Procedure.
- 3.3.7 The client shall pay all applicable fees related to the certification process.

3.4 USE OF THE DCL CONFORMITY MARK

- 3.4.1 The design and use of the DCL Conformity Mark shall be in accordance with the Terms and Conditions for the Use of the DCL Conformity Mark, DM-DCLD-IMS-RD-13
- 3.4.2 The client shall submit a product-marking proposal for approval by DCLD-PCAS. The proposal shall include drawings and/or diagrams showing the location and size of the marking for each size of the product/product

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 04
General / عام : Level of Confidentiality / درجة السرية	Page 7 of 8

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for FA Certification of Gypsum Plasterboards as per BS EN 520: 2004+A1:2009	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2197 (IC)	رقم الوثيقة:	

container.

3.4.3 The Certificate of Conformity and the authorization to use the DCLD Conformity Mark is non-transferable.

4. SURVEILLANCE

4.1 DCLD-PCAS or their authorized auditor shall carry out periodic surveillance to ensure consistent compliance with the requirements of this certification scheme as per DM-DCLD-RD-DP21-2096 (IC) – Surveillance of Certified Clients under the Factory Assessment Scheme.

4.2 The surveillance shall be in accordance with the Independent Testing Plan (clause 3.1.4) that has been agreed between the DCLD-PCAS and the client.

5. FEE SCHEDULE

5.1 The client shall pay the applicable fees and charges related to the granting of the Certificate of Conformity and authorization to use the DCL Conformity Mark based on the applicable DCL Official Fee Structure DM-DCLD-RD-DP21-2074 (IC).

5.2 The fees for this certification scheme shall include but not limited to the following

- 5.2.1 Application Fee
- 5.2.2 Initial Assessment Fee
- 5.2.3 Certification Fee
- 5.2.4 Marking Fee
- 5.2.5 Surveillance Fee
- 5.2.6 Annual Renewal Fee
- 5.2.7 Testing Fee
- 5.2.8 Outsource Activity Fee, where applicable

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 04
General / عام : Level of Confidentiality / درجة السرية	Page 8 of 8

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online