

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

Low Emitting Materials

(Details as per the attached Scope of Certification)

manufactured by:

EUROBUILD CHEMICALS LLC

P.O. Box 7398, Umm Al Quwain, United Arab Emirates

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

2017 AL SA'FAT DUBAI GREEN BUILDING EVALUATION SYSTEM

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN
Director, Dubai Central Laboratory Department
Dubai Municipality



Certificate No: CL20020750
Valid Until: 07/12/2021



Current Issue Date: 08/12/2020
Original Issue Date: 08/12/2020



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.



DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL20020750

Certificate Issued To: EUROBUILD CHEMICALS LLC
PO Box 7398, Umm Al Quwain, United Arab Emirates

Applicable Standard Specification: 2017 Al Sa'fat – Dubai Green Building Evaluation System.

Applicable Specific Rules: DM-DCLD-RD-DP21-2180 (IC) – Specific Rules for FA Certification of Low Emitting Materials as per Al Sa'fat – Dubai Green Building Evaluation System.

S/N	PRODUCT DESCRIPTION	BRAND NAME	PRODUCT DETAILS
1.	Roof Coating/Coating Applied to Hardscapes	"EUROBUILD" Brand CemGuard PC 400	Water Base – Two pack reactive performance coatings for specific end use such as floors (Sub-Category 10) VOC (Al Sa'fat DGBES limit is max. 140 g/l) SRI Class 1 (<78) – "Can be Used in 75 - 100% of surface to be coated – Sloped or Flat Roof" « White Color » <i>*SRI (See Note 3)</i>
		"JEDAR" Brand RockanyThane WPU 2K	
		"EUROBUILD" Brand EuroShield PU 411	Water Base - One pack performance coatings (Sub-Category 9) VOC (Al Sa'fat DGBES limit is max. 140 g/l) SRI Class 1 (<78) – "Can be Used in 75 - 100% of surface to be coated – Sloped or Flat Roof" « White Color » <i>*SRI (See Note 3)</i>
		"JEDAR" Brand Rockany Thane WPU	



DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL20020750

		<p>“EUROBUILD” Brand RoofGuard 200 - 407</p>	<p>Water Base - One pack performance coatings (Sub-Category 9)</p> <p>VOC (Al Sa’fat DGBES limit is max. 140 g/l)</p> <p>SRI Class 1 (<78) – “Can be Used in 75 - 100% of surface to be coated – Sloped or Flat Roof”</p> <p>« White Color »</p> <p><i>*SRI (See Note 3)</i></p>
		<p>“JEDAR” Brand Rockany Coat WPA</p>	
2.	Coatings (other than paint) for exterior/exposed wall application	<p>“EUROBUILD” Brand EuroProof FRC 555</p>	<p>Water Base – Two pack reactive performance coatings for specific end use such as floors (Sub-Category 10)</p> <p>VOC (Al Sa’fat DGBES limit is max. 140 g/l)</p> <p>LRV Class 2 (<45) – “Can be used in 0-25% of surface to be painted/coated”.</p> <p>« Grey Color »</p> <p><i>*LRV (See Note 3)</i></p>
		<p>“JEDAR” Brand Rockany Fire Proof FRC</p>	
3.	Coatings (other types not covered by above)	<p>“EUROBUILD” Brand EuroPrime EFC 209</p>	<p>Solvent Base - Primer (Sub-Category 7)</p> <p>VOC (Al Sa’fat DGBES limit is max. 350 g/l)</p> <p>Interior Application</p>
		<p>“JEDAR” Brand Rockany Prime EFP</p>	
4.	Coatings (other types not covered by above)	<p>“EUROBUILD” Brand EuroBond PVA 200</p>	<p>Water Base – Binding Primer (Sub-Category 8)</p> <p>VOC (Al Sa’fat DGBES limit is max. 30 g/l)</p> <p>Interior Application</p>
		<p>“EUROBUILD” Brand EuroBond SBR 201</p>	
		<p>“JEDAR” Brand RockanyBond SBR</p>	



DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL20020750

		<p>“EUROBUILD” Brand EuroBond AR 202</p> <p>“JEDAR” Brand RockanyBond AR</p>	<p>Water Base – Binding Primer (Sub-Category 8)</p> <p>VOC (Al Sa’fat DGBES limit is max. 30 g/l) Interior Application</p>
		<p>“EUROBUILD” Brand EuroBond EPR 203</p>	
		<p>“EUROBUILD” Brand EuroBond EP 205</p> <p>“JEDAR” Brand RockanyBond EP</p>	
5.	Coatings (other types not covered by above)	<p>“EUROBUILD” Brand EuroTop LF 302</p> <p>“EUROBUILD” Brand EuroProof RBE 404</p> <p>“JEDAR” Brand Rockany Proof RBE 3505</p> <p>“EUROBUILD” Brand EuroThane HP 425</p> <p>“JEDAR” Brand Rockany Thane WPU</p> <p>“EUROBUILD” Brand EuroProof LWP 450</p> <p>“JEDAR” Brand Rockany Thane SPU</p> <p>“EUROBUILD” Brand ConGuard 2000-408</p> <p>“JEDAR” Brand Rockany Thane SPU</p>	<p>Water Base - One pack performance coatings (Sub-Category 9)</p> <p>VOC (Al Sa’fat DGBES limit is max. 140 g/l) Interior Application</p>



DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL20020750

		<p>“EUROBUILD” Brand EuroRelease WB 912</p> <p>“EUROBUILD” Brand EuroShield PU 411</p> <p>“JEDAR” Brand Rockany Thane WPU</p>	<p>Water Base - One pack performance coatings (Sub-Category 9)</p> <p>VOC (Al Sa’fat DGBES limit is max. 140 g/l) Interior Application</p>
6.	Coatings (other types not covered by above)	<p>“EUROBUILD” Brand CemGuard PC 400</p> <p>“JEDAR” Brand RockanyThane WPU 2K</p> <p>“EUROBUILD” Brand LeakGuard 5000 -455</p> <p>“EUROBUILD” Brand EuroCoat NTC 331</p> <p>“EUROBUILD” Brand EuroCoat EPU 337</p>	<p>Water Base – Two pack reactive performance coatings for specific end use such as floors (Sub-Category 10)</p> <p>VOC (Al Sa’fat DGBES limit is max. 140 g/l) Interior Application</p>
7.	Coatings (other types not covered by above)	<p>“EUROBUILD” Brand EuroTop ESL 305</p> <p>“EUROBUILD” Brand EuroTop FC 307</p> <p>“JEDAR” Brand Rockany EpoCoat FC</p>	<p>Solvent Base – Multi Colored Coatings (Sub-Category 11)</p> <p>VOC (Al Sa’fat DGBES limit is max. 100 g/l) Interior Application</p>
8.	Adhesives	<p>“EUROBUILD” Brand EuroCoat RC 2000 -920</p> <p>“EUROBUILD” Brand EuroTile MIX 601</p>	<p>Water Base – Ceramic Tile Adhesive VOC (Al Sa’fat DGBES limit is max. 65 g/l)</p>



DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL20020750

		<p>“EUROBUILD” Brand EuroTile WR 602</p> <p>“JEDAR” Brand RockanyFlex C2TES1</p> <p>“Asian Paint” Brand SmartCare Tile Adhesive WR</p>	
		<p>“EUROBUILD” Brand EuroTile LM 603</p> <p>“JEDAR” Brand Rockany Tile C2TE</p> <p>“Asian Paint” Brand SmartCare Tile Adhesive GP</p>	
		<p>“EUROBUILD” Brand EuroTile TT 604</p>	
		<p>“EUROBUILD” Brand EuroTile FLX 605</p>	
		<p>“EUROBUILD” Brand VitriBond LTA 612</p> <p>“JEDAR” Brand Rockany TileFix RP-69</p> <p>“Asian Paint” Brand SmartCare Tile Adhesive Tile On Tile</p>	
		<p>“EUROBUILD” Brand Marblex K11 611</p> <p>“JEDAR” Brand Rockany Quickbond</p> <p>“Asian Paint” Brand SmartCare Tile Adhesive HD</p>	

Water Base – Ceramic Tile Adhesive
VOC (Al Sa’fat DGBES limit is max. 65 g/l)



DUBAI CENTRAL LABORATORY DEPARTMENT
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL20020750

		<p>"EUROBUILD" Brand EuroPoxy K2 2000 – 607</p> <p>"JEDAR" Brand RockanyPoxy RP-2k</p> <p>"EUROBUILD" Brand Holesett 810</p>	<p>Water Base – Ceramic Tile Adhesive VOC (Al Sa'fat DGBES limit is max. 65 g/l)</p>
9.	Sealants	<p>"EUROBUILD" Brand EuroFlex PLS 906</p> <p>"JEDAR" Brand Rockany Seal PLS GG</p> <p>"EUROBUILD" Brand EuroFlex PU 907</p>	<p>Water Base – Others VOC (Al Sa'fat DGBES limit is max. 420 g/l)</p>

Note 1: This document forms part of the Certificate of Product Conformity bearing the same certificate number.

Note 2: The above products shall bear the DCL Conformity Mark.

Note 3: For colors/types not covered by the Scope, SRI and LRV shall be tested and classified based on the application of the product in the construction site to ensure that it meets the requirements of the Al Sa'fat – Dubai Green Building Evaluation System.

- SRI Class 1 (> 78) – "Can be Used in 75 - 100% of surface to be coated – Sloped or Flat Roof"
- SRI Class 2 (29<78) - "Can be Used in 75 - 100% of surface to be coated – Sloped Roof"
- SRI Class 3 (< 29 or untested) – "Can be Used in 0 – 25% of surface to be coated – Sloped or Flat Roof provided the remaining area is Class 1 or 2"
- LRV Class 1 (=>45) – "Can be used in 75-100% of surface to be /painted/coated"
- LRV Class 2 (<45 or untested) – "Can be used in 0-25% of surface to be painted/coated provided the remaining area is Class 1".

Original Issue Date: 08 December 2020

Current Issue Date: 08 December 2020

Valid Until: 07 December 2021

ARIF HUSAIN AL MARZOOQI

Products Conformity Assessment Section Manager

Dubai Central Laboratory Department