

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for Certification of Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing (as per ASTM C 665-17) Through Factory Assessment	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2114 (IC)	رقم الوثيقة :	

Issue Date	Rev. No.	Summary Of Amendments
15-07-2006	0	First draft for comments
22-07-2006	0	Final draft
25-07-2006	1	Issue for use
11/03/2007	2	Reviewed with the requirements of the current version of the standard and found to be still suitable.
09-08-2009	3	Document reference number and format is changed according to the new IMS, statement for the independent testing plan was changed, and the statement for surveillance was shortened by referring the appropriate procedure, RD-DP21-2096 (IC).
03/01/2012	4	Reviewed with the requirements of the current version of the standard (2011) and found to be still suitable. Amended as per new documentation structure.
19/03/2012	5	Typographical corrections and updating of referenced documents
11/07/2013	6	Reviewed with the requirements of the current version (ASTM C665-12) of the standard and found to be still suitable.
13/07/2017	7	Amendment to align the fire test requirement with the UAE Fire and Life Safety Code 2016. Update to comply with the font type (Dubai).
05/11/2018	8	Reviewed as per the fire test requirements with the UAE Fire and Life Safety Code of Practice 2018, and found to be still the same. Change the format of documents.
21/03/2019	9	Revision of Scope to reflect that the DCL Certification of above subject product does not cover compliance to the requirements of UAE Fire & Life Safety Code of Practice 2018.
06/09/2020	10	Revised to align with the new version of standard ASTM C 665-17. Add the options for initial audit by the approved CAB and remotely by PCAS. Adding definition for authorized auditor. Update for the new numbering system and followed terminologies, Correction of numbering, Add provision for accepting valid test reports.
26/09/2021	11	Removal of the documents in clause 2.1.2, in addition to further amendment in the provision for accepting valid test reports (clause 2.4.2.5), in line with DM 30% reduction of requirements (both service and specialized). Modifications in the auditing part for the factories already certified against ISO 9001 to opt for auditing only the areas of production and monitoring stages of product realization, quality control and final product testing and evaluation.

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 11
General / عام : Level of Confidentiality / درجة السرية	Page 1 of 9

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for Certification of Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing (as per ASTM C 665-17) Through Factory Assessment	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2114 (IC)	رقم الوثيقة :	

1. GENERAL

1.1 INTRODUCTION

- 1.1.1 This document prescribes the specific rules for the implementation of the DM Third Party Product Certification Scheme Through Factory Assessment as applied to the specific product(s) identified herein, taking into consideration the applicable normative references and standard specifications.
- 1.1.2 The applicant shall comply with these specific rules, and to those already mentioned in the “General Rules for DM Third Party Product Certification Scheme Through Factory Assessment, DM-DCLD-RD-DP21-2001 (IC).
- 1.1.3 DCLD-PCAS shall take into consideration the requirements of Administrative Order 66-2003 on Regulations on Technical Specifications for Thermal Insulation Systems. Only products that are deemed to meet the requirements of this Order shall be certified.

1.2 SCOPE

- 1.2.1 This specific rule covers the requirements for factory made mineral wool thermal insulation products in the form of blanket, with or without facings intended for light frame construction and manufactured housing.
- 1.2.2 This specific rule does not cover compliance to the requirements of UAE Fire & Life Safety Code of Practice 2018.
- 1.2.3 For certification of Mineral Fiber Blanket Insulation for Light Frame Construction and Manufactured Housing compliance to the requirements of UAE Fire & Life Safe Code of Practice 2018, the Specific Rules DM-DCLD-RD-DP21-2210 (IC) shall apply.

1.3 PRODUCT IDENTIFICATION AND APPLICABLE STANDARD/NORMATIVE REFERENCE

- 1.3.1 Product name: Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing
- 1.3.2 Applicable standard/Normative reference: ASTM C 665-17 Standard Specification for Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 11
General / عام : Level of Confidentiality / درجة السرية	Page 2 of 9

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for Certification of Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing (as per ASTM C 665-17) Through Factory Assessment	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2114 (IC)	رقم الوثيقة :	

1.3.3 Additional reference:

ISO 9001 Quality Management System – Requirements

ISO 19011 Guidelines for Auditing Management System.

1.4 DEFINITION OF TERMS

In addition to the definitions given in ASTM C 168, ASTM C 665 and DM-DCLD-RD-DP21-2001 (IC) the following shall also apply:

- 1.4.1 Independent Testing Laboratory - Dubai Central Laboratory (DCL) or any testing laboratory recognized by DCLD-PCAS.
- 1.4.2 Independent Test – test performed or conducted by the recognized Independent Testing Laboratory or any testing laboratory recognized by (DCLD-PCAS).
- 1.4.3 Standard Specification – ASTM C 665-17 Standard Specification for Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing
- 1.4.4 QMS – Quality Management System aligned with the requirements of ISO 9001 Standard
- 1.4.5 Factory Production Control System (Product Quality Assurance Plan) – a document being agreed upon both by the client and the (DCLD-PCAS) being used to ensure continuous compliance of the certified product.
- 1.4.6 Client: Manufacturer/producer of Mineral Fiber Blanket Thermal Insulation.
- 1.4.7 DM Certification Body: Dubai Central Laboratory Department-Products Conformity Assessment Section- (DCLD-PCAS).
- 1.4.8 Authorized auditor : is any approved auditor by DCLD-PCAS either internal within DCLD or external (Approved CAB's auditor or approved auditor based on a signed contract)

2. REQUIREMENTS FOR CERTIFICATION

2.1 APPLICATION

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 11
General / عام : Level of Confidentiality / درجة السرية	Page 3 of 9

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for Certification of Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing (as per ASTM C 665-17) Through Factory Assessment	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2114 (IC)	رقم الوثيقة :	

2.1.1 The Client shall apply to DCLD-PCAS for the Certification and the authorization to use the DCL Conformity Mark.

2.1.2 Application forms shall be submitted by client to DCLD-PCAS.

2.1.3 Separate application shall be submitted for each product type or group of products that refers to a different specific rules.

2.2 FACTORY OPERATION

2.2.1 Quality Management System

The client shall have a Quality Management System that is aligned to the requirements of ISO 9001 standard.

NOTE: Having a certificate of ISO 9001 is not a mandatory requirement; however the structure of the client's QMS shall be in line with its requirements.

2.2.2 Laboratory

The client shall have a quality assurance laboratory to carry out factory production control testing to ensure that the mineral fiber blanket insulation for light frame construction and manufactured housing comply with the requirements of the standard specification and other regulatory requirements.

The laboratory can be part of the factory facilities, or, can be through a documented agreement with an accredited external laboratory.

As a minimum requirement, the laboratory shall have the following testing equipment:

- a. Weighing Scale
- b. Dimensional measuring instrument

2.3 INITIAL FACTORY AUDIT

2.3.1 Initial factory audit will be carried out by duly authorized auditor(s) which will cover auditing of the quality management system to verify its compliance with the requirements of ISO 9001, in addition to verify the implementation of DCLD-PCAS certification's requirements. Where possible; the audit can be carried out remotely as per (DM-DCLD-RD-DP21-2098 (IC) Guidelines for Remote Audit) or as per the related approved guidelines which are followed by the approved outsourced CAB.

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 11
General / عام : Level of Confidentiality / درجة السرية	Page 4 of 9

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for Certification of Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing (as per ASTM C 665-17) Through Factory Assessment	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2114 (IC)	رقم الوثيقة :	

NOTE: An independent certification to ISO 9001 issued by a QMS certification body recognized by DCLD-PCAS may be considered as having satisfied this requirement; however, DCLD-PCAS may still opt to carry out verification audit to confirm that the factory is in compliance with requirements of DCLD certification schemes and rules, mainly the areas of production and monitoring stages of product realization, quality control and final product testing and evaluation

2.3.2 Factory audit shall be conducted by designated audit team in accordance with ISO 19011 – Guidelines for Auditing Management Systems.

2.4 PRODUCT EVALUATION

2.4.1 Sampling

2.4.1.1 Sampling for initial testing shall be carried out in accordance with the requirements of ASTM C 390. Samples shall be taken randomly by the authorized auditor from the products to be certified (sizes and quantities to be determined) either from production lines or the factory warehouse.

2.4.1.2 Three sets of sample per product per type should be selected – as applicable from the production line or from the warehouse and shall be subjected to testing; the first set, where possible, will be tested in the plant witnessed by a duly authorized auditor, the second set will be sent to DCLD-PCAS approved independent testing laboratory. The third set will be kept by the manufacturer as reference for future use.

2.4.1.3 Test sample(s) for independent test shall be packed/sealed and signed in the presence of the authorized auditor and shall be submitted to DCLD-PCAS approved lab by the authorized auditor.

2.4.2 Product Evaluation and testing.

2.4.2.1 Physical Properties - The product/s shall conform to the requirements specified in the standard specification as per ASTM C 665

2.4.2.2 Workmanship - The product/s shall not have defects that will adversely affect installation or service quality

2.4.2.3 The test to be carried out shall be in accordance with the test method mentioned in the standard

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 11
General / عام : Level of Confidentiality / درجة السرية	Page 5 of 9

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA

	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	
	Document Title:	Specific Rules for Certification of Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing (as per ASTM C 665-17) Through Factory Assessment	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2114 (IC)	رقم الوثيقة :	

specification as follows;

- 2.4.2.3.1 Dimension and Density as per ASTM C 167
- 2.4.2.3.2 Thermal Resistance as per ASTM C 177 or ASTM C 518 or ASTM C 653
- 2.4.2.3.3 Critical Radiant Flux as per ASTM E 970
- 2.4.2.3.4 Water-Vapor Permeance as per ASTM E 96
- 2.4.2.3.5 Water Vapor Sorption as per ASTM C 1104/C 1104M
- 2.4.2.3.6 Odor Emission as per ASTM C 1304
- 2.4.2.3.7 Corrosiveness as per ASTM C 665 or Practice C1617
- 2.4.2.3.8 Fungi Resistance as per ASTM C 1338

2.4.2.4 The results of testing must meet the requirements as per the standard specification.

2.4.2.5 Wherever applicable, Independent test shall only be conducted if the result of the in-plant test shows satisfactory result. DCLD-PCAS shall accept available valid test reports conducted by an approved DCLD-PCAS independent laboratory within one year from the date of the initial assessment, in line with the internal quality control testing plan of the factory. In such case, the testing of that particular parameter(s) shall be waived accordingly

2.4.2.6 If the result of the test conducted by the DCLD-PCAS approved laboratory shows non-conformance to the specified requirements, the provision for rejection specified in the standard shall apply. The retest shall be carried out on the reference sample kept by the client or on new samples collected by the authorized auditor, on which full testing shall be carried out, if necessary.

2.4.2.7 If the re-test passed, the initial product assessment is considered conforming to product specification. If not, the client will be advised to take corrective action.

2.4.2.8 Only after reassessment and subsequent product compliance shall the client be allowed to use DCL Conformity Mark on his product(s) that have been tested and found complying with the certification requirements.

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 11
General / عام : Level of Confidentiality / درجة السرية	Page 6 of 9

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for Certification of Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing (as per ASTM C 665-17) Through Factory Assessment	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2114 (IC)	رقم الوثيقة :	

3. GRANTING OF THE DCL CERTIFICATION

3.1 CONDITIONS FOR GRANTING THE DCL PRODUCT CONFORMITY CERTIFICATE.

3.1.1 When the results of the factory audit clause [2.3] and product evaluation clause [2.4] show conformity to the requirements specified in the General Rules and this Specific Rules, the Certificate of Conformity and authorization to use the DCL Conformity Mark shall be issued to the manufacturer for the scope and type(s) of the product covered by the assessment.

3.1.2 The client shall agree with the DCLD-PCAS for the preparation and implementation of a product quality assurance plan to ensure continuing compliance with the Standard Specifications and the requirements of this certification scheme. The plan shall consist of (1) an internal product quality assurance, and (2) an independent testing plan

3.1.3 Factory Production Control System (Internal Product Quality Assurance Plan)

The client shall have an internal product quality assurance plan giving details of the tests to be carried out at the factory. This will include as a minimum, the following details: (1) location of sampling; (2) frequency of sampling; (3) quantities of samples; (4) tests to be carried out; (5) results acceptance criteria; and (6) responsible person to carry out the activity. The plan shall cover all inspections carried out thru out the whole manufacturing process; i.e. (raw materials – production lines- finished product testing and evaluation as per standard specifications – final packing.

The plan shall take into consideration the control of raw materials, production process, the volume of production, the criticality of the test to be specified, and other relevant factors.

3.1.4 Independent testing plan

The client shall agree to an independent testing plan to be carried out on samples which are collected in accordance with DM-DCLD-RD-DP21-2096 (IC) – Surveillance of Certified Clients under the Factory Assessment Scheme, and implemented by the DCLD-PCAS.

3.2 ISSUANCE OF DCL PRODUCT CONFORMITY CERTIFICATE

If the conditions mentioned in clause 3.1 above have been complied, the client shall be issued a DCL Certificate of

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 11
General / عام : Level of Confidentiality / درجة السرية	Page 7 of 9

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA

 GOVERNMENT OF DUBAI	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	 بلدية دبي DUBAI MUNICIPALITY
	Document Title:	Specific Rules for Certification of Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing (as per ASTM C 665-17) Through Factory Assessment	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2114 (IC)	رقم الوثيقة :	

Conformity and a Scope of Certification that covers the type(s) and size of the products that are certified and will be authorized to use the DCL Conformity Mark on the certified products.

3.3 RESPONSIBILITIES OF THE CERTIFIED CLIENT

- 3.3.1 The client shall ensure that his product, for which a certificate of conformity has been issued, conforms at all times to the requirements of the General Rule and Specific Rules and shall maintain to the satisfaction of DCLD-PCAS, a system of quality control including inspection and testing.
- 3.3.2 The client shall give the duly authorized auditor(s) by DCLD-PCAS, access during working hours, without prior notification, to the premises of the factory where certified product is manufactured, for the purpose of evaluating the materials, production processes, finished products, quality assurance facilities, records and others in accordance with the requirements of the scheme.
- 3.3.3 The client shall inform the DCLD-PCAS in writing of any change of management, transfer of plant site, modification in the product, manufacturing process or factory's quality management system.
- 3.3.4 Upon transfer of plant site, the certificate of conformity shall be deemed valid only after factory and product audit at the new site has been satisfactorily completed.
- 3.3.5 Any infraction stated in the terms and conditions of the certification scheme and the use of DCL Conformity Mark shall constitute sufficient grounds for suspension, withdrawal and termination of certification in accordance with DM-DCLD-IMS-RD-07.
- 3.3.6 Any dispute that may arise in connection with the Terms and Conditions of the certification scheme shall be settled in accordance with DM-DCLD-IMS-RD-08 Appeals, Disputes, and Complaints Procedure.
- 3.3.7 The client shall pay all applicable fees related to the certification process.

3.4 USE OF THE DCL CONFORMITY MARK

- 3.4.1 The design and use of the DCL Conformity Mark shall be in accordance with the Terms and Conditions for the Use of the DCL Conformity Mark, DM-DCLD-IMS-RD-13

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 11
General / عام : Level of Confidentiality / درجة السرية	Page 8 of 9

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

	Organization/Unit:	إدارة مختبر دبي المركزي Dubai Central Laboratory Department	الوحدة التنظيمية:	
	Document Title:	Specific Rules for Certification of Mineral Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing (as per ASTM C 665-17) Through Factory Assessment	عنوان الوثيقة:	
	Doc Ref.	DM-DCLD-RD-DP21-2114 (IC)	رقم الوثيقة :	

3.4.2 The client shall submit a product-marking proposal for approval by the DCLD-PCAS. The proposal shall include drawings and/or diagrams showing the location and size of the marking for each size of product/product package for approval by the DCLD-PCAS.

3.4.3 The Certificate of Conformity and the authorization to use the DCLD Conformity Mark is non-transferable.

4. SURVEILLANCE

4.1 DCLD-PCAS or their authorized auditor shall carry out periodic surveillance to ensure consistent compliance with the requirements of this certification scheme as per DM-DCLD-RD-DP21-2096 (IC) – Surveillance of Certified Clients under the Factory Assessment Scheme.

4.2 Testing as part of the surveillance shall be in accordance with the Independent Testing Plan (clause 3.1.4) that has been agreed between DCLD-PCAS - and the client.

5. FEE SCHEDULE

5.1 The client shall pay the applicable fees and charges related to the granting of Certificate of Conformity and the and authorization to use the DCL Conformity Mark based on the DCL Official Fee Structure, DM-DCLD-RD-DP21-2097 (IC).

5.2 The fees for this certification scheme shall include but not limited to the following;

- 5.2.1 Application Fee
- 5.2.2 Initial Assessment Fee
- 5.2.3 Certification Fee
- 5.2.4 Marking Fee
- 5.2.5 Surveillance Fee
- 5.2.6 Annual Renewal Fee
- 5.2.7 Testing Fee
- 5.2.8 Outsource Activity Fee, where applicable

Approved by HOU	Authorized by PCASM
Date of Issue : 26/09/2021	Rev. No. : 11
General / عام : Level of Confidentiality / درجة السرية	Page 9 of 9

Note: Printed copy of this document shall be treated as 'Uncontrolled'. Always refer the controlled version 'Online

بيانات مفتوحة / OPEN DATA