

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document	Technical and health requirements for establishing and operating Veterinary Clinic	
	Title:	establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

Dubai municipality Public Health Services Department
Integrated management system
Technical and health requirements for establishing and operating Veterinary Clinic

حقوق الملكية الفكرية لهذه الوثيقة محفوظة -إدارة خدمات الصحة العامة- لبلدية دبي , لا يجوز نسخ او نقل اي جزء
 من الوثائق بدون تصريح خطي بذلك من إدارة خدمات الصحة العامة
 This document is the property of Public Health Services Department-Dubai Municipality and shall
 not be copied or reproduced in any way without the written consent of Public Health Services
 Department Management

(04/04/2024)	V: 06
(open data)	Page 1 of 13

 حكومة دبي GOVERNMENT OF DUBAI	Organization Unit : Veterinary Control Section		 بلدية دبي Dubai Municipality
	Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

Document title	Technical and health requirements for establishing and operating veterinary laboratories			
Document Number	DM-PHSD-VCS-TGL-05		Release No	06
Degree of secrecy	Opened data ☉	Shared - ○ private	Shared - critical ○	Shared - secret○
Status	Current version		Document Type	Technical Instructions
Date of Publication	04/09/2011			
Revision date	04/04/2024			

Document organization:

issue number	Author	Date	Notes
06	Dr. Motasem Shehadeh Basheer AL Zoubi / Principal Veterinary Health Inspector Officer Dr. Mohammed Farah Mohammed/ Senior Veterinary Health Inspector Officer	04/04/2024	

Revisions and approvals made on the document:

issue number	REVIWERS	Date	Notes
06	Ibrahim Salim AL beak/ Principal Veterinary Health Inspector Officer	04/04/2024	
06	Mahmoud Mohammed Elhady/ Senior Veterinary Health Inspector Officer	04/04/2024	
06	Fatima Mohammed Essa/ Senior Veterinary Health Inspector Officer	04/04/2024	

issue number	Approver	Date	Notes
06	Faisal Ibrahim Almuammari / Manager of Veterinary Control Section	04/04/2024	

(04/04/2024)	V: 06
(open data)	Page 2 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document	Technical and health requirements for	
	Title:	establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

Modification/revisio n No.	Modification /Revision Date	Modified subject	Affected pages	Approval	Notes
1.1	04/09/2012	تمت المراجعة ولم يتم تعديل			
1.2	04/09/2013	تمت المراجعة ولم يتم تعديل			
1.3	01/10/2014	تم إضافة (H&TR لرقم الوثيقة (H&TRAF&PAFGL) وفقا لدليل تنظيم الوثائق والسجلات (DM-KMD-GU01-DRCGL)	جميع الصفحات		
1.4	04/09/2015	تمت المراجعة ولم يتم تعديل			
1.5	04/09/2016	تمت المراجعة ولم يتم تعديل			
1.6	01/10/2017	تمت مراجعة ولم يتم تعديل			
1.7	01/10/2018	تمت مراجعة ولم يتم تعديل			
1.8	25/08/2019	تم تغيير شعار البلدية			
1.9	2020/04/09	تم القيام بتغييرات جذرية على الوثيقة	جميع الصفحات		
1.9	2020/04/09	اضافة تقسيم المؤسسات العلاجية حسب نوع وحجم النشاط	صفحة 6		
2.0	2021/07/17	تعديلات على محتوى النشاط	جميع الصفحات		
2.0	2021/07/17	تعديل اسم الاشتراطات	جميع الصفحات		
3.0	2022/09/20	إضافة جدول مساحة مرافق العيادة	صفحة 11		
3.0	2022/09/20	إضافة نشاط العيادات المتنقلة	صفحة 12 و 13		
4.0	2022/09/28	تعديل اسم القسم الى قسم الرقابة البيطرية	جميع الصفحات		
4.0	2022/09/28	جاري اعتماد اسم المراجع واسم مدير القسم	ص 2		

(04/04/2024)	V: 06
(open data)	Page 3 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

4.0	2022/09/28	استبدال مسؤولية التنفيذ لمسمي رئيس شعبة الرقابة البيطرية ليصبح (مدير قسم الرقابة البيطرية)	ص 4		
5.0	2023/01/18	إضافة البند 5.3	ص 5		
	2023/01/18	تعديل على جدول المساحات في العيادة	ص 13		
6.0	04/04/2024	تعديل رقم الوثيقة وتعديل شعار حكومة دبي	جميع الصفحات		

Amendments and updates to the document

1.Objective:

Explanation of the technical and health requirements and requirements for the establishment and operation of comprehensive and specialized veterinary clinics and primary veterinary clinics to the public of dealers to preserve human and animal health.

2. Scope:

All establishments licensed to treat animals of all kinds in the Emirate of Dubai.

3. Responsibilities:

Veterinary Health Inspection Officer, Senior Veterinary Health Inspection Officer, Principal Veterinary Health Inspection Officer, Manager of Veterinary Control Section

4. Tasks:

(04/04/2024)	V: 06
(open data)	Page 4 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

As indicated in the instructions

5. General Terms:

- 5.1. The establishment should commit to the laws, ministerial decisions, local orders and circulars, which are issued to regulate workflow of the concerned activity.
- 5.2. All other approvals related to location, etc. should be present.
- 5.3. Not allowed to start such activity in malls and residential buildings until there is labeled private entrance for animals to avoid public discomfort.
- 5.4. The building (floors, walls and ceilings) must be designed from solid materials that are easy to clean and sterilize and not affected by disinfectants and sterilizers.
- 5.5. Entrances and exits must have a proper design to control animals and reduce the presence of public health pests.
- 5.6. The lighting must be sufficient and conform to the required specifications.
- 5.7. All facilities of the enterprise must be well-ventilated.
- 5.8. The establishment must be provided with the necessary equipment to control temperatures throughout all seasons of the year.
- 5.9. The establishment should provide occupational safety requirements (gloves, masks, disinfectants, etc.) for employees and external clients in a suitable and easily accessible place.
- 5.10. The establishment must ensure that its workers are healthy and free from infectious diseases and wounds.
- 5.11. Workers must adhere to the work uniform and maintain personal hygiene and health practices while working.
- 5.12. First aid boxes must be provided, including all the necessary medical supplies, according to the type of activity, and placed in suitable and easily accessible places.

(04/04/2024)	V: 06
(open data)	Page 5 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

5.13. The establishment must commit to general cleanliness and safe disposal of normal and bio-hazardous waste.

5.14. The establishment must ensure that it is free of public health pests and their effects.

5.15. Competent authorities have the right to introduce vaccinations, examinations, preventive measures or modify the existing procedures as needed.

5.16. The establishment commits to report all communicable and epidemic diseases to the Veterinary Services Department and to take the necessary precautions to prevent their spread.

5.17. It is prohibited to send any samples outside the country without obtaining the approval of the competent authorities

6. Classification of veterinary clinics:

6.1. Comprehensive/specialized veterinary clinic:

Comprehensive veterinary clinic: Any establishment that provides curative, preventive and surgical services to all animal species. Some medicines may be kept for the purpose of treatment only.

Specialized veterinary clinic: Any establishment that provides all curative and preventive services for a specific animal species, and it may be operated by specialized veterinary cadres and the provision of high technical equipment

6.1.1. Veterinary clinics must have the following facilities:

- 6.1.1.1. Reception
- 6.1.1.2. Examination and treatment rooms
- 6.1.1.3. surgery rooms
- 6.1.1.4. isolation room (optional)
- 6.1.1.5. Medical imaging room (radiography)
- 6.1.1.6. In-house veterinary pharmacy

(04/04/2024)	V: 06
(open data)	Page 6 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

- 6.1.1.7. Clinic general repository (optional)
- 6.1.1.8. veterinary laboratory (optional)
- 6.1.1.9. Doctors and administrators offices (optional)

6.1.2. Required Staff:

- 6.1.2.1. At least 2 veterinarians
- 6.1.2.2. At least 1 veterinary assistant
- 6.1.2.3. 1 laboratory technician, if there is a laboratory
- 6.1.2.4. At least 1 worker

6.2. Primary veterinary clinic

Any establishment that provides curative and preventive services (immunizations) for pets and small ruminants. Some medicines may kept for treatment only.

Surgical operations are only perform in emergency (Caesarean section) and minor surgeries

6.2.1. Required Facilities in primary veterinary clinics:

- 6.2.1.1. Reception room
- 6.2.1.2. Doctor's office
- 6.2.1.3. Examination and treatment room

6.2.2. Required staff in primary veterinary clinics:

- 6.2.2.1. At least one vet (mandatory)
- 6.2.2.2. veterinary assistant (optional)
- 6.2.2.3. operator (optional)

7. Internal organization of the clinic:

(04/04/2024)	V: 06
(open data)	Page 7 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

The design of the clinic must take into account the transition from the least dangerous places to the highest risk (reception, then examination rooms, preparation rooms..... and finally isolation).

7.1. Reception Room:

- 7.1.1. The room must be furnished and of sufficient space to accommodate at least three auditors and their pets.
- 7.1.2. The room should be separate and close to the examination rooms and designed in such a way as to prevent the entry of animals into the clinic facilities.

7.2. Pet examination and treatment room (companion animals):

- 7.2.1. Must have a fitted table made of stainless steel, easy to clean and sterilize, and no sharp corners or hollows.
- 7.2.2. Must contain a locker for keeping animal examination, treatment and control tools and equipment
- 7.2.3. Must be provided with special containers for the proper disposal of medical and hazardous waste.
- 7.2.4. A hand sanitizer must be provided with a source of cold and hot water, as well as antibacterial liquid soap and paper towels.

7.3. Pharmacy:

- 7.3.1. The pharmacy must be provided with shelves made of suitable stainless materials that fit the workload and are easy to clean and sterilize.
- 7.3.2. Veterinary medicines and preparations must be stored according to the instructions recommended by the manufacturers (taking into account heat, humidity, ventilation, lighting).
- 7.3.3. A refrigerator must be provided to store medicines that require storage temperatures below 8°C.
- 7.3.4. An airtight cabinet must be allocated for controlled and narcotic medicines and the procedures for their circulation should be followed. With the need to identify the person responsible for it.
- 7.3.5. A dedicated storage space for keeping expired medicines and equipment must be provided and labeled as such, along with an updated record of the contents, their nature, quantities,

(04/04/2024)	V: 06
(open data)	Page 8 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

expiry date, batch number and safe disposal within a period not exceeding 3 months from the date of expiry.

7.4. Laboratory:

- 7.4.1. A separate room must be provided with a suitable area for laboratory examinations.
- 7.4.2. The room should have a laboratory table, sink, and a source of hot and cold water.
- 7.4.3. Work protocols for each test must be provided.
- 7.4.4. All checks must be performed by a qualified technician.
- 7.4.5. The laboratory must be provided with the necessary equipment and tools
- 7.4.6. The laboratory must be provided with special containers for the proper disposal of medical and hazardous waste.
- 7.4.7. The laboratory shall be provided with a refrigerator for storing samples and test solutions.
- 7.4.8. Equipment must be recalibrated periodically.
- 7.4.9. Suitable ophthalmic (especially in laboratory) solutions must be provided.

7.4.10. Radiology Room:

- 7.5.1 The institution has obtained a license from the Federal Authority for Nuclear Regulation (FANR), with the need not practice radiological imaging until the required documents are available.
- 7.5.2 Only profficional (specified person) allowed using radiology machine.
- 7.5.3 Preventive shields should routinely be examined for their efficacy.
- 7.5.4 Operator should wear the radioactivity meter whenever machine is in work. Regular reading should be implemented by approving third party from the competitive authority.
- 7.5.5 Radiology sign should stick to the entrance along with light sign.
- 7.5.6 Radiology image (result) should be identified properly by (Dr. Name, Clinic Name, animal name or microchip number, date of imaging).

7.5. Operations Room:

- 7.5.1. An operations table must be provided, which should be easy to wash and sterilize, and commensurate with the size and nature of the work.
- 7.5.2. The anesthesia machine must be suitable for the type of animal and have all its equipment (routine maintenance and calibration, Vital Signs monitor, etc.)

(04/04/2024)	V: 06
(open data)	Page 9 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

- 7.5.3. An oxygen machine must provide (Ambo bag, resuscitation bag, oxygen via anesthetic machine.)
- 7.5.4. Hand washbasins of the type that is operable with the foot or the elbows should provide, with liquid antibacterial soap and paper towels.
- 7.5.5. A sterilizer must be provided to sterilize the equipment used, with writing on each sterilized equipment bag of sterilization date and time.
- 7.5.6. A spotlight source must provide for operations.
- 7.5.7. The operation room must contain a locker for keeping tools and equipment for examination, treatment, animal control and safety for clinic staff.
- 7.5.8. The operation room must provide special containers for the proper disposal of medical and bio-hazardous waste.
- 7.5.9. The ventilation and cooling system must be separated from the rest of the clinic's facilities.
- 7.5.10. There should be separate places for both septic and aseptic surgeries.
- 7.5.11. There are no windows in the surgery room.
- 7.5.12. In Comprehensive and hospitals there should be X ray reading light according to the device used.
- 7.5.13. Staff should commit to wearing specialized uniforms in side surgery room.

7.6. Shelter and recovery room for treated animals:

- 7.6.1. It must be sufficient and commensurate with the numbers and types of animals treated at the establishment.
- 7.6.2. Must be provided with suitable cages, designed in a way that ensures easy cleaning and sterilization, and that there are no internal protrusions that could cause harm to animals.
- 7.6.3. Each animal should be placed in a separate cage commensurate with the size and type of animal, and all preventive measures should be taken to prevent the spread of infection between animals.

7.7. Isolation Room:

- 7.7.1. The isolation room must be located away from other facilities.
- 7.7.2. The isolation room must be equipped with cages and appropriate equipment

(04/04/2024)	V: 06
(open data)	Page 10 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

- 7.7.3. The ventilation and cooling system must be separated from the rest of the clinic facilities.
- 7.7.4. The isolation room must observe biosecurity measures with regards to dealing with isolated animals.

7.8. Washrooms/Sanitary facilities:

- 7.8.1. Enough sanitary facilities should be provided with hand washbasins, anti-bacterial liquid soap and tissues.
- 7.8.2. A locker must be provided to place the personal belongings of the employees.

8. Records:

- 8.1. The official documents of the veterinary establishment, the commercial license or its number, and the certificate of professional practice.
- 8.2. Records of treatment, immunizations, deaths, autopsy reports, and laboratory test results, etc.
- 8.3. Records of the disposal of narcotic and restricted medicines.
- 8.4. Forms of pledges and declarations for animal owners.
- 8.5. Purchase invoices for medicines and medical preparations.
- 8.6. A valid and approved contract for the disposal of medical and hazardous waste.
- 8.7. A valid contract to combat insects and rodents from an approved company.
- 8.8. Occupational health card for workers in contact with animals.
- 8.9. Record lists of workers from the technical and administrative staff and workers and their qualifications.

9. Technical and health requirements for mobile clinics

Clinic owner committed to apply all veterinary clinic requirements beside the mobile clinic requirement, which will be as follows:

- 9.1 The mobile veterinary clinic will not be licensed without a permanent veterinary clinic license from the competitive authority.
- 9.2 The vehicle should pass the RTA road test.
- 9.3 The service should be presented by a licensed veterinary doctor.

(04/04/2024)	V: 06
(open data)	Page 11 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

- 9.4 Only the licensed activity is allowed inside the vehicle.
- 9.5 Surgeries that need general anesthetization are prohibited inside mobile clinics.
- 9.6 To assure that all treatment and vaccination record entered the designated electronical system.
- 9.7 Copy of the essential documents should be kept inside the vehicle (trade license, clinic proffictional license MOCCAE, veterinarian license and occupational health test results, waste contracts)
- 9.8 Physical separation between the front area (driver and his fellow) and the backside of the vehicle, while mobile clinic staff should restrict the following:
- 9.8.1 The vehicle door should close when treating animals or during cleaning and sanitizing
 - 9.8.2 Backside of the vehicle should totally be isolated upon outside disturbances.
 - 9.8.3 Walls and the floor should be made from un-rusted materials and able to clean and disinfect.
 - 9.8.4 The vehicle should be equipped with an effective cooling system.
 - 9.8.5 All windows should open and be closed freely and controllable.
 - 9.8.6 The vehicle should be equipped with a thermometer for back-side temperature control.
 - 9.8.7 The vehicle should be equipped with closers to keep surgical and non-surgical materials in good manners.
 - 9.8.8 The vehicle should be equipped with electric source, tank for tab water and other for discharged water according to the competitive authority requirements.
 - 9.8.9 There should be different size cages from non-rusted material able to clean, disinfect, and free from sharp edges.
 - 9.8.10 The vehicle should be equipped with all needed equipment and tools (surgical, animal husbandry, act.)
 - 9.8.11 To clean and disinfect the vehicle after each treatment session.
 - 9.8.12 The vehicle should be equipped with refrigerator to store vaccines and medicine.
 - 9.8.13 All equipment and tools should be fixed well during vehicle movement.
 - 9.8.14 An examination table (stainless steel), free from sharp edges and easy to clean and disinfected should be presented.
 - 9.8.15 The vehicle should be equipped with normal and biohazard traches.
 - 9.8.16 The vehicle should be equipped with suitable sterilizer.

(04/04/2024)	V: 06
(open data)	Page 12 of 13

	Organization Unit : Veterinary Control Section Department : Public Health Services		
	Document Title:	Technical and health requirements for establishing and operating Veterinary Clinic	
	Doc Ref.	DM-PHSD-VCS-TGL-05	

10. Sizes of clinic facilities

Unit	Primary clinic minimum size	Comprehensive clinic minimum size
Reception	30m ²	15 m ²
Food Area		15 m ²
Examination room	6 m ²	6 m ²
Radiology room	non	6 m ²
Laboratory	non	6 m ²
Surgery room	10 m ²	10 m ²
Cats ward	12 m ²	12 m ²
Dogs ward		15 m ²
Isolation	non	8 m ²
Pharmacy	non	6 m ²
Preparation room	لا يوجد	10 m ²
Total Size	58m²	109m²